



US00D701007S

(12) **United States Design Patent**
Krupich

(10) **Patent No.:** **US D701,007 S**
(45) **Date of Patent:** **** Mar. 11, 2014**

(54) **HARNESS AND LEASH WITH PET
TEMPERAMENT INDICATORS**

(74) *Attorney, Agent, or Firm* — Mark D. Trenner; Trenner
Law Firm, LLC

(71) Applicant: **Leila Krupich**, Calgary (CA)

(72) Inventor: **Leila Krupich**, Calgary (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,230**

(22) Filed: **Sep. 27, 2013**

(51) **LOC (10) Cl.** **30-04**

(52) **U.S. Cl.**
USPC **D30/152; D30/153**

(58) **Field of Classification Search**
USPC D30/144, 145, 151, 152, 153, 199;
D3/215; D2/600, 602–609, 627, 629,
D2/639; 2/311, 129, 131, 133, 141.1, 321,
2/322, 336, 338, 916, 920; 63/1.11, 1.12,
63/3, 3.1; 362/555, 570; 119/174, 654,
119/769, 771, 772, 791–798, 815, 821, 850,
119/855, 856, 858–860, 863–865, 907;
D11/1–6, 200, 201, 215, 218, 231
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,848,270	A *	11/1974	Rand		2/311
4,887,552	A *	12/1989	Hayden		119/793
5,102,129	A *	4/1992	Roberts		473/414
D359,599	S *	6/1995	Archambault		D30/153
D372,563	S	8/1996	Waugh, Jr.		
5,967,095	A *	10/1999	Greves		119/795
6,138,611	A	10/2000	Thielemann		
D443,117	S *	5/2001	Rubin		D30/153
6,223,694	B1 *	5/2001	Rubin		119/795
6,422,177	B1 *	7/2002	Noguero		119/856
6,477,988	B2	11/2002	Burnett		
6,694,925	B2	2/2004	Critzer		
D498,336	S *	11/2004	Hong		D30/152

(Continued)

Primary Examiner — Caron D Veynar

Assistant Examiner — Martie K Holtje


(57) **CLAIM**

The ornamental design for a harness and leash with pet temperament indicators, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a harness and leash with pet temperament indicators showing my new design, wherein the indicators are substantially circular;
FIG. 2 is a perspective view of the harness portion of FIG. 1;
FIG. 3 is a left side view of FIG. 2;
FIG. 4 is a right side view of FIG. 2;
FIG. 5 is a rear view of FIG. 2;
FIG. 6 is a front view of FIG. 2;
FIG. 7 is a bottom plan view of FIG. 2;
FIG. 8 is a top plan view of FIG. 2;
FIG. 9 is a right side view of the leash portion of FIG. 1, the left side being a mirror image thereof;
FIG. 10 is a top plan view of FIG. 9;
FIG. 11 is a bottom plan view of FIG. 9;
FIG. 12 is a perspective view of my design of FIG. 1, wherein the indicators are substantially square;
FIG. 13 is a perspective view of my design of FIG. 1, wherein the indicators are substantially triangular; and,
FIG. 14 is a perspective view of my design of FIG. 1, wherein the indicators are substantially hexagonal.
The elements of the harness depicted by broken lines in FIGS. 1 through 8 and 12 through 14 have been shown for the purpose of illustrating portions of the harness and leash with pet temperament indicators that form no part of the claimed design.
The dog depicted by broken lines in FIGS. 1 through 4 and 12 through 14 has been shown for the purpose of illustrating environment which forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D508,591 S * 8/2005 Kresge et al. D30/153
7,066,780 B2 6/2006 Jamison
7,421,980 B1 * 9/2008 Ehlers 119/858
D621,561 S * 8/2010 Siklosi et al. D30/152
D638,176 S * 5/2011 Mugford D30/152

D673,738 S 1/2013 Lanzendorf
2002/0078905 A1 6/2002 Wilson
2007/0039560 A1 * 2/2007 Smith 119/794
2010/0263602 A1 * 10/2010 Cho 119/792
2010/0263603 A1 10/2010 Baron
2010/0277943 A1 * 11/2010 Hurwitz 362/555
2010/0277944 A1 * 11/2010 Hurwitz 362/570
2011/0067648 A1 * 3/2011 Siklosi et al. 119/792

* cited by examiner

FIG. 1




FIG. 2





FIG. 3






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

