



US00D701069S

(12) **United States Design Patent**
Miller

(10) **Patent No.:** **US D701,069 S**
(45) **Date of Patent:** **** Mar. 18, 2014**

(54) **ADJUSTABLE BED RAIL FOR MOBILITY ASSISTANCE**

(71) Applicant: **Stander Inc.**, Logan, UT (US)

(72) Inventor: **F. Troy Miller**, Logan, UT (US)

(73) Assignee: **Stander Inc.**, Logan, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/438,270**

(22) Filed: **Nov. 28, 2012**

(51) **LOC (10) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/718.3**

(58) **Field of Classification Search**
USPC D6/382, 392, 718, 718.3; 5/600, 658,
5/424-426, 428, 429, 662
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,220,024	A	11/1965	Nelson	
3,262,133	A	7/1966	Beitzel	
3,548,426	A *	12/1970	Helton	5/429
4,724,559	A	2/1988	Bly et al.	
4,993,089	A *	2/1991	Solomon et al.	5/430
5,448,791	A	9/1995	Brown	
5,463,784	A *	11/1995	Alpern	5/430
5,640,726	A	6/1997	Fichner-Rathus	
6,138,301	A	10/2000	Battiston	
6,401,280	B1	6/2002	Baker	
6,519,794	B1	2/2003	Aarestad et al.	

6,560,794	B2	5/2003	Allen et al.	
7,103,928	B1	9/2006	Childs	
7,197,779	B2	4/2007	Shalika	
7,373,679	B2	5/2008	Miller	
2005/0262632	A1 *	12/2005	Wu	5/426
2006/0195986	A1 *	9/2006	Hakamiun et al.	5/600
2007/0083994	A1 *	4/2007	Miller	5/662

* cited by examiner

Primary Examiner — Janice Seeger

(74) *Attorney, Agent, or Firm* — Stoel Rives LLP


(57) **CLAIM**

The ornamental design for an adjustable bed rail for mobility assistance, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an adjustable bed rail for mobility assistance in a first configuration.
FIG. 2 is a perspective view of the adjustable bed rail for mobility assistance of FIG. 1 in an extended configuration.
FIG. 3 is a front view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1.
FIG. 4 is a back view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1.
FIG. 5 is a left side view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1.
FIG. 6 is a right side view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1.
FIG. 7 is a top view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1; and,
FIG. 8 is a bottom view of the adjustable bed rail for mobility assistance of FIG. 1 in the configuration of FIG. 1.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8