



US00D701339S

(12) **United States Design Patent**
Opolka

(10) **Patent No.:** **US D701,339 S**

(45) **Date of Patent:** **** Mar. 18, 2014**

(54) **FLASHLIGHT**

(71) Applicant: **Rainer Opolka**, Solingen (DE)

(72) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibrueder Optoelectronics GmbH & Co. KG**, Solingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/448,019**

(22) Filed: **Mar. 8, 2013**

Related U.S. Application Data

(62) Division of application No. 29/381,901, filed on Dec. 24, 2010.

(30) **Foreign Application Priority Data**

Jun. 25, 2010 (EM) 001724253

Jun. 25, 2010 (EM) 001724444

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search**
USPC D26/37, 38, 46, 49; 362/157, 158, 183,
362/184, 194-196, 202-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D229,854 S * 1/1974 Bajusz D26/49

D308,109 S * 5/1990 Maglica et al. D26/49

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Andrew Wilford



(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a bottom view of the invention;
FIG. 2 is a side view of the invention, the other side being a mirror image thereof;
FIG. 3 is a top view of the invention;
FIG. 4 is a front end view of the invention;
FIG. 5 is a rear end view of the invention;
FIG. 6 is a bottom view of a second embodiment of the invention;
FIG. 7 is a side view of the second embodiment of the invention, the other side being a mirror image thereof;
FIG. 8 is a top view of the second embodiment of the invention;
FIG. 9 is a front end view of the second embodiment of the invention;
FIG. 10 is a rear end view of the second embodiment of the invention;
FIG. 11 is a bottom view of a third embodiment of the invention;
FIG. 12 is a side view of the third embodiment of the invention, the other side being a mirror image thereof;
FIG. 13 is a top view of the third embodiment of the invention;
FIG. 14 is a front end view of the third embodiment of the invention;
FIG. 15 is a rear end view of the third embodiment of the invention;
FIG. 16 is a bottom view of a fourth embodiment of the invention;
FIG. 17 is a side view of the fourth embodiment of the invention, the other side being a mirror image thereof;
FIG. 18 is a top view of the fourth embodiment of the invention;
FIG. 19 is a front end view of the fourth embodiment of the invention; and,
FIG. 20 is a rear end view of the fourth embodiment of the invention.
The broken line showing is for environmental purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D417,022 S * 11/1999 Chiu D26/49
D455,511 S * 4/2002 Chang D26/46
D495,442 S * 8/2004 Packard D26/37
D501,055 S * 1/2005 Packard D26/37
D504,529 S * 4/2005 Vickers et al. D26/37
D515,230 S * 2/2006 Galli D26/49
D523,981 S * 6/2006 Galli D26/37

D530,439 S * 10/2006 Maglica D26/49
D533,674 S * 12/2006 Julius et al. D26/49
D551,366 S * 9/2007 Galli D26/37
D563,007 S * 2/2008 Opolka D26/49
D642,951 S * 8/2011 Campman D10/119.3
D643,561 S * 8/2011 Maglica D26/49
D675,358 S * 1/2013 Brands et al. D26/49
D675,764 S * 2/2013 Boutet et al. D26/49
D681,248 S * 4/2013 Opolka D26/49

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20