



US00D701405S

(12) **United States Design Patent**
Pace et al.

(10) **Patent No.:** **US D701,405 S**
(45) **Date of Patent:** **** Mar. 25, 2014**

- (54) **RACK**
- (71) Applicants: **Gregory R. Pace**, Paragould, AR (US);
Lance A. Engebretson, Albert Lea, MN (US)
- (72) Inventors: **Gregory R. Pace**, Paragould, AR (US);
Lance A. Engebretson, Albert Lea, MN (US)
- (73) Assignee: **L.A Darling Company LLC**,
Paragould, AR (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/443,407**
- (22) Filed: **Jan. 17, 2013**
- (51) **LOC (10) Cl.** **06-06**
- (52) **U.S. Cl.**
USPC **D6/675.2**
- (58) **Field of Classification Search**
USPC D6/396-397, 422-430, 449-451, 462,
D6/477-479, 552, 572-574, 675, 675.2;
108/59, 92-93, 96, 107-108;
312/194-196, 223.3

See application file for complete search history.

- 5,463,966 A * 11/1995 Nilsson 108/110
- 5,622,415 A * 4/1997 Felsenthal et al. 312/265.4
- 5,676,263 A * 10/1997 Chang 211/187
- D389,343 S * 1/1998 Van Der Merwe et al. D6/474
- D392,122 S * 3/1998 Peng-Hui D6/465
- 5,752,610 A * 5/1998 Remmers 211/181.1
- 5,779,070 A * 7/1998 Dickinson et al. 211/187
- 5,810,179 A * 9/1998 Kleiman 211/88.01
- D400,375 S * 11/1998 Peng-Hui D6/474
- 5,833,084 A * 11/1998 Chang 211/187
- D410,127 S * 5/1999 Colomban D34/21
- D424,836 S * 5/2000 Kopala, Jr. D6/465
- D429,092 S * 8/2000 Walter D6/465
- 6,116,436 A * 9/2000 Ferrucci et al. 211/187
- 6,260,488 B1 * 7/2001 Yang et al. 108/107
- D455,916 S * 4/2002 Fluhrer et al. D6/477
- 6,422,406 B1 * 7/2002 Kessel et al. 211/181.1
- D468,936 S * 1/2003 Miranda D6/463
- D471,033 S * 3/2003 Yamaguchi D6/465
- D471,381 S * 3/2003 Yamaguchi D6/465
- 6,604,473 B2 * 8/2003 Felsenthal 108/107
- 6,619,489 B2 * 9/2003 Kessel et al. 211/181.1
- 6,659,294 B1 * 12/2003 Simard 211/181.1
- D498,618 S * 11/2004 Welch et al. D6/479
- 6,814,245 B2 * 11/2004 Leclerc et al. 211/187

(Continued)

Primary Examiner — Kelley Donnelly

(74) *Attorney, Agent, or Firm* — Jennifer E. Lacroix; DLA Piper LLP US

(57) **CLAIM**
The ornamental design for a rack, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- 644,880 A * 3/1900 Vanderman 108/59
- 2,919,816 A * 1/1960 Maslow 108/181
- 3,039,621 A * 6/1962 Pilcher 108/107
- 3,252,434 A * 5/1966 Young, Jr. 108/181
- 3,523,508 A * 8/1970 Maslow 108/147.13
- 3,589,746 A * 6/1971 Inglis et al. 280/79.3
- 3,680,712 A * 8/1972 Jurasek 211/59.2
- 4,513,669 A * 4/1985 Steinke 108/107
- 4,546,887 A * 10/1985 Cohn 211/49.1
- 4,558,647 A * 12/1985 Petersen 108/107
- 5,027,959 A * 7/1991 Luukkonen 211/186

DESCRIPTION

FIG. 1 is a perspective view of the rack;
FIG. 2 is a front elevational view of the rack, the back side of which is identical;
FIG. 3 is a left side elevational view of the rack;
FIG. 4 is a right side elevational view of the rack;
FIG. 5 is a top plan view of the rack; and,
FIG. 6 is a bottom plan view of the rack.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D499,583	S	*	12/2004	Anderson et al.	D6/479
6,920,831	B2	*	7/2005	Lin	108/107
6,925,943	B2	*	8/2005	Salmanson et al.	108/55.1
D543,057	S	*	5/2007	Grady et al.	D6/479
D597,342	S	*	8/2009	Dickson	D6/465
D597,354	S	*	8/2009	Liss	D6/511
D602,712	S	*	10/2009	Ho	D6/465
D616,230	S	*	5/2010	Leeds et al.	D6/491
D622,082	S	*	8/2010	Booth	D6/449
D626,356	S	*	11/2010	Ho	D6/465
D630,813	S	*	1/2011	Molayem	D32/55
D637,427	S	*	5/2011	Troyner et al.	D6/511
8,016,140	B2	*	9/2011	Hsieh	211/187
D683,983	S	*	6/2013	Troyner et al.	D6/675.2
D683,984	S	*	6/2013	Troyner et al.	D6/707.22
D692,701	S	*	11/2013	Peggs	D6/675.1
2004/0079714	A1	*	4/2004	Andrew et al.	211/49.1
2004/0221772	A1	*	11/2004	Narkis et al.	108/60
2004/0237853	A1	*	12/2004	Sholz	108/107
2005/0103734	A1	*	5/2005	Saltzberg et al.	211/187

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6