



US00D701585S

(12) **United States Design Patent**  
**Marshall, Jr.**

(10) **Patent No.:** **US D701,585 S**  
(45) **Date of Patent:** **\*\* Mar. 25, 2014**

(54) **FLETCH HOLDER FOR A CROSSBOW BOLT**

(71) Applicant: **John F. Marshall, Jr.**, Destin, FL (US)

(72) Inventor: **John F. Marshall, Jr.**, Destin, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,281**

(22) Filed: **Jan. 29, 2013**

**Related U.S. Application Data**

(63) Continuation of application No. 12/714,064, filed on Feb. 6, 2010, now Pat. No. 8,382,616, which is a continuation-in-part of application No. 11/805,590, filed on May 24, 2007, now Pat. No. 7,892,119, which is a continuation-in-part of application No. 11/657,676, filed on Jan. 24, 2007, now Pat. No. 7,758,457.

(51) **LOC (10) Cl.** ..... **22-01**

(52) **U.S. Cl.**  
USPC ..... **D22/108**

(58) **Field of Classification Search**  
USPC ..... D22/100-104, 107-109; 124/86-92,  
124/16-29

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

113,835 A	4/1871	Barton	
119,815 A	10/1871	Brintzinghoffer	
509,364 A	11/1893	Coffeen	
1,130,324 A	3/1915	Owen	
1,789,575 A	1/1931	Allen	
1,842,540 A	1/1932	Cowdery	
2,484,589 A *	10/1949	Richards	473/578
2,782,036 A	2/1957	Folberth	
3,071,127 A	1/1963	Spack	
4,114,884 A	9/1978	Tunncliffe	
4,534,568 A *	8/1985	Tone	473/583
4,651,999 A *	3/1987	Sturm	473/575

4,886,280 A	12/1989	Bottelsen	
5,207,434 A *	5/1993	Oudekerk	473/586
5,427,385 A	6/1995	Conrad et al.	
5,443,273 A	8/1995	Lovorn	
5,987,724 A	11/1999	Kleman	
6,478,700 B2	11/2002	Hartman	
6,695,727 B1	2/2004	Kuhg	
7,074,143 B2 *	7/2006	Czemske et al.	473/586
7,874,947 B1 *	1/2011	Wolfenbarger et al.	473/578

(Continued)

**OTHER PUBLICATIONS**

[http://www.google.com/...&page=1&tbnh=138&tbnw=151&start=0&ndsp=77&ved=1t:429,r:7,s:0,i:102&biw=1786&bih=1188\[3/5/2013 1:28:32 PM\].\\*](http://www.google.com/...&page=1&tbnh=138&tbnw=151&start=0&ndsp=77&ved=1t:429,r:7,s:0,i:102&biw=1786&bih=1188[3/5/2013 1:28:32 PM].*)

(Continued)

*Primary Examiner* — Michael A Pratt  
(74) *Attorney, Agent, or Firm* — Baker & Hostetler LLP

(57) **CLAIM**

The ornamental design for a fletch holder for a crossbow bolt, as shown and described.


**DESCRIPTION**

FIG. 1 is a top view of a fletch holder for a crossbow bolt showing the claimed new design;  
FIG. 2 is a bottom view thereof;  
FIG. 3 is a side view thereof;  
FIG. 4 is a front view thereof; and,  
FIG. 5 is a rear view thereof.

The broken lines in FIGS. 1-5 showing fletchings—also called vanes or feathers—andnock, and/or portions thereof, in association with the claimed design are included for purposes of illustrating environment and form no part of the claimed design.

The claimed fletch holder for a crossbow bolt is used for capturing and holding fletchings in proper alignment and is configured for affixation to the shaft of the crossbow bolt.

**1 Claim, 2 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS


8,267,817	B2	9/2012	Marshall et al.	
8,382,616	B2 *	2/2013	Marshall .....	473/578
2006/0258491	A1	11/2006	Walsh	
2007/0173359	A1	7/2007	Mowery et al.	
2008/0176682	A1	7/2008	Marshall	
2008/0176683	A1	7/2008	Marshall	
2010/0167849	A1 *	7/2010	Malucelli .....	473/586
2011/0111895	A1 *	5/2011	Andrews .....	473/586
2012/0172159	A1 *	7/2012	Green et al. ....	473/584
2012/0220399	A1 *	8/2012	Ferguson .....	473/570
2012/0270688	A1 *	10/2012	Webber et al. ....	473/582

OTHER PUBLICATIONS


North Carolina Sportsman, "NuFletch arrow inserts", <http://www.northcarolinasportsman.com/details.php?id=1915>, Jun. 1, 2011, 2 pages.

Bowhunting.com, "Introducing NuFletch Spectrum Light—New for 2011", <http://www.bowhunting.com/publisher/hunting-news/2011/8/11/introducing-nufletch-spectrum-light--new-for-2011>, accessed Mar. 5, 2013, 2 pages.


\* cited by examiner




**Fig. 1**




**Fig. 2**



**Fig. 3**



**Fig. 4**



**Fig. 5**