



US00D701610S

(12) **United States Design Patent**
Thomas et al.

(10) **Patent No.:** **US D701,610 S**
(45) **Date of Patent:** **** Mar. 25, 2014**

(54) **REMOTE CONTROLLER FOR PORTABLE TENS DEVICE**

(75) Inventors: **Charles M. Thomas**, Hixson, TN (US);
D. Keith Hagy, Chattanooga, TN (US);
Donald Kay Riker, Soddy Daisy, TN (US); **Nathan Anderson Pollock**,
Suffolk Park (AU); **Brad Peter Ryan**,
Graceville (AU); **Lee Anthony Rodezno**,
Rowville (AU); **Troy Christiaan Nyssen**,
Flemington (AU)

(73) Assignee: **Modular Therapeutx, LLC**, Soddy Daisy, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/395,406**

(22) Filed: **Jan. 13, 2012**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D24/200**

(58) **Field of Classification Search**
USPC D24/169, 186, 200, 209–210; D10/78,
D10/81; D13/168; 340/12.22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,201	S	*	11/1992	Koch	D10/65
D364,686	S	*	11/1995	Teo et al.	D24/200
5,481,251	A	*	1/1996	Buys et al.	340/12.22
D382,645	S	*	8/1997	Bergeron	D24/200
D467,005	S	*	12/2002	Gerth et al.	D24/200
D467,346	S	*	12/2002	Gerth	D24/200
D474,753	S	*	5/2003	Blum et al.	D13/168
D477,880	S	*	7/2003	Moretto	D24/200
6,590,505	B1	*	7/2003	Matsui et al.	340/12.28
6,784,805	B2	*	8/2004	Harris et al.	340/12.22
D495,801	S	*	9/2004	Kim	D24/200
D512,383	S	*	12/2005	Arz et al.	D13/168

D529,448	S	*	10/2006	de Melo et al.	D13/168
D545,436	S	*	6/2007	Padain	D24/169
D546,456	S	*	7/2007	May	D24/186
D573,957	S	*	7/2008	Ledbetter et al.	D13/168
D642,161	S	*	7/2011	Akana et al.	D14/218
8,237,600	B2	*	8/2012	McRae	341/173

(Continued)

OTHER PUBLICATIONS

Bose, Solo remote control, May 9, 2013, amazon.com <http://amzn.com/B0093UA2GA>.*

Omron, electroTherapy Pain Relief Device PM3030, Sep. 26, 2012, amazon.com <http://amzn.com/B008KEHA2E>.*

Primary Examiner — Eric Goodman

Assistant Examiner — John Reickel

(74) *Attorney, Agent, or Firm* — Chambliss, Bahner & Stophel, PC

(57) **CLAIM**

The ornamental design for a remote controller for a portable TENS device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the remote controller of our new design.

FIG. 2 is a bottom perspective view of the remote controller of our new design.

FIG. 3 is a front view of the remote controller of our new design.

FIG. 4 is a rear view of the remote controller of our new design.


FIG. 5 is a right side view of the remote controller of our new design.

FIG. 6 is a left side view of the remote controller of our new design.

FIG. 7 is a top view of the remote controller of our new design; and,

FIG. 8 is a bottom view of the remote controller of our new design.

1 Claim, 2 Drawing Sheets



US D701,610 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D670,811 S * 11/2012 Fukuzawa D24/169
2001/0045819 A1 * 11/2001 Harris et al. 323/371
2003/0193427 A1 * 10/2003 Schroeder et al. 341/176

2004/0036625 A1 * 2/2004 Omata et al. 340/825.69
2007/0139246 A1 * 6/2007 Chen 341/176
2007/0279246 A1 * 12/2007 Hudspeth 340/825.69
2012/0256736 A1 * 10/2012 Vigouroux 340/12.22
2013/0207789 A1 * 8/2013 Hatambeiki et al. 340/12.22

* cited by examiner




FIGURE 1




FIGURE 2



FIGURE 3




FIGURE 5




FIGURE 7



FIGURE 4




FIGURE 6




FIGURE 8