



US00D701692S

(12) **United States Design Patent**  
**Heller**

(10) **Patent No.:** **US D701,692 S**

(45) **Date of Patent:** **\*\* Apr. 1, 2014**

(54) **PACK FOR CARRYING A COAT**  
(71) Applicant: **David L. Heller**, Aurora, CO (US)  
(72) Inventor: **David L. Heller**, Aurora, CO (US)  
(\*\*) Term: **14 Years**

(21) Appl. No.: **29/466,941**

(22) Filed: **Sep. 13, 2013**

(51) **LOC (10) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/216**

(58) **Field of Classification Search**  
USPC ..... D3/201, 213, 214, 215, 216, 217, 218,  
D3/232, 238, 257, 270, 289; D29/100;  
D30/152; 224/153, 155, 160, 257, 259,  
224/575, 576, 578, 581, 586, 623, 640, 645,  
224/657; 2/94, 2.5; 294/142; 119/858  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,248,455	A *	7/1941	Freund	.....	2/94
4,085,873	A *	4/1978	Schweitzer	.....	294/142
D254,518	S *	3/1980	Taggart	.....	D3/216
4,287,607	A *	9/1981	Leach	.....	2/2.5
4,469,259	A *	9/1984	Krich et al.	.....	224/160
4,577,591	A *	3/1986	Wesseldine	.....	604/391
4,932,574	A *	6/1990	Doshi	.....	224/153
D311,813	S *	11/1990	Oliver	.....	D3/216
4,976,383	A *	12/1990	Norris	.....	224/640
5,165,111	A *	11/1992	Lieberman	.....	2/94

5,333,768	A *	8/1994	Krentz	.....	224/623
6,912,976	B2 *	7/2005	Everett	.....	119/858
D591,008	S *	4/2009	Barringer	.....	D30/133
D614,862	S *	5/2010	Votel	.....	D3/216
8,496,143	B1 *	7/2013	Joseph	.....	224/257
2012/0037675	A1 *	2/2012	Shepherd et al.	.....	224/259

\* cited by examiner

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Dorr, Carson & Birney, P.C.



(57) **CLAIM**

The ornamental design for a pack for carrying a coat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a pack for carrying a coat showing my new design;  
FIG. 2 is a front perspective view thereof in an in use configuration;  
FIG. 3 is a rear perspective view thereof in an in use configuration;  
FIG. 4 is a front elevational view thereof.  
FIG. 5 is a left side elevational view thereof.  
FIG. 6 is a bottom plan view thereof.  
FIG. 7 is a rear elevational view thereof.  
FIG. 8 is a right side elevational view thereof; and,  
FIG. 9 is a top plan view thereof.  
The person and the coat depicted by broken lines in FIGS. 2 and 3 have been shown for the purpose of illustrating environmental features that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







Fig. 1



Fig. 2

Fig. 3






Fig. 4

Fig. 5

Fig. 6



Fig. 9




Fig. 7

Fig. 8