US00D701766S

(12) United States Design Patent

Harrower et al.

(10) Patent No.: US D701,766 S
(45) Date of Patent: ** Apr. 1, 2014

(54) **SPRAY NOZZLE**

(71) Applicants: **Ashley Sean Harrower**, Marysville, WA (US); **Byron Grant Harrower**, Marysville, WA (US)

(72) Inventors: **Ashley Sean Harrower**, Marysville, WA (US); **Byron Grant Harrower**, Marysville, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/454,574**

(22) Filed: **May 10, 2013**

Related U.S. Application Data

(63) Continuation of application No. 13/869,936, filed on Apr. 24, 2013.

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/448**

(58) **Field of Classification Search**
USPC D9/448, 436, 435, 434; 239/430, 288, 239/288.5, 122, 120; 222/402.24, 402.11, 222/147
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,937,172	A	11/1933	Starner et al.	
3,012,555	A	12/1961	Meshberg	
3,116,856	A	1/1964	Prussin et al.	
3,260,465	A	7/1966	Grumbein	
3,402,862	A	9/1968	Meshberg	
D244,995	S *	7/1977	Sullivan	D9/448
4,865,257	A	9/1989	Bailey	
5,344,076	A	9/1994	Mercurio	
5,360,165	A	11/1994	Singhal	
D353,537	S *	12/1994	Starrett	D9/688
5,609,272	A	3/1997	Brass et al.	
6,679,438	B1	1/2004	Didlo	
7,063,275	B2	6/2006	Byron	
D527,257	S *	8/2006	Yu	D9/448
7,431,222	B2	10/2008	Monterrosa	
D610,453	S *	2/2010	Cichy et al.	D9/448
7,913,932	B2	3/2011	Wu	
D666,093	S *	8/2012	Wang	D9/448
2007/0131792	A1	6/2007	Gardner et al.	

* cited by examiner

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Vy Koenig
(74) *Attorney, Agent, or Firm* — The Law Office of Patrick F. O'Reilly III, LLC

(57) **CLAIM**

The ornamental design for a spray nozzle, as shown and described.

DESCRIPTION

FIG. **1** is a front-right perspective view of a spray nozzle showing our new design;
FIG. **2** is a left-front perspective view thereof;
FIG. **3** is a right-rear perspective view thereof;
FIG. **4** is a rear-left perspective view thereof;
FIG. **5** is another left-front perspective view thereof, wherein the spray nozzle is rotated on its right side;
FIG. **6** is a right-side elevational view thereof;
FIG. **7** is a left-side elevational view thereof;
FIG. **8** is a rear view thereof;
FIG. **9** is a front view thereof;
FIG. **10** is a bottom-left perspective view thereof;
FIG. **11** is a bottom-right perspective view thereof;
FIG. **12** is another bottom-right perspective view thereof;
FIG. **13** is another bottom-left perspective view thereof;
FIG. **14** is a top plan view thereof;
FIG. **15** is a bottom plan view thereof;
FIG. **16** is yet another front-right perspective view thereof, wherein the spray nozzle is mounted on an aerosol spray can and is illustrated together with tubing and a rotatable spray shield device, the aerosol spray can, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention;
FIG. **17** is still another front-right perspective view thereof, wherein the spray nozzle is mounted on a circular spray bottle and is illustrated together with tubing and a rotatable spray



shield device, the circular spray bottle, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention;

FIG. **18** is another right-rear perspective view thereof, wherein the spray nozzle is mounted on an aerosol spray can and is illustrated together with tubing and a rotatable spray shield device, the aerosol spray can, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention;

FIG. **19** is yet another front-right perspective view thereof, wherein the spray nozzle is mounted on a flat-body spray bottle and is illustrated together with tubing and a rotatable spray shield device, the flat-body spray bottle, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention;

FIG. **20** is another right-side elevational view thereof, wherein the spray nozzle is mounted on a flat-body spray bottle and is illustrated together with tubing and a rotatable spray shield device, the flat-body spray bottle, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention;

FIG. **21** is another left-side elevational view thereof, wherein the spray nozzle is mounted on a flat-body spray bottle and is illustrated together with tubing and a rotatable spray shield device, the flat-body spray bottle, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention; and,

FIG. **22** is another left-front perspective view thereof, wherein the spray nozzle is mounted on a flat-body spray bottle and is illustrated together with tubing and a rotatable spray shield device, the flat-body spray bottle, tubing, and rotatable spray shield device shown in broken lines form no part of the claimed invention.

The broken line portions of the drawing figures are included to show unclaimed subject matter only and form no part of the claimed design.

1 Claim, 13 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10

FIG. 11



FIG. 12



FIG. 13



FIG. 14

FIG. 15



FIG. 16



FIG. 17





FIG. 18



FIG. 19



FIG. 20



FIG. 21



FIG. 22