



US00D702110S

(12) **United States Design Patent**  
**Gobbi**

(10) **Patent No.:** **US D702,110 S**

(45) **Date of Patent:** **\*\* Apr. 8, 2014**

(54) **SAFETY CARABINER**

(71) Applicant: **Grivel S.r.l.**, Courmayeur (IT)

(72) Inventor: **Gioachino Gobbi**, Courmayeur (IT)

(73) Assignee: **Grivel S.R.L.**, Courmayeur (IT)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/444,771**

(22) Filed: **Feb. 4, 2013**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**

USPC ..... **D8/356**

(58) **Field of Classification Search**

USPC ..... D8/355, 354, 349, 383, 372, 367, 1,  
D8/382, 395; 24/592.11, 599.1, 588.1,  
24/601.5, 601, 599.9, 598.1, 599.6, 452,  
24/129 R, 600.9; 70/59; 63/8, 7, 12, 15,  
63/1.14; D12/317; D6/323; 248/301-304,  
248/175, 63; 402/35; 114/218, 114;  
294/137, 158, 82.19; 410/101; 182/3;  
D11/210; D19/32

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,095,316	A *	6/1978	Gabriel	.....	24/599.1
D282,904	S *	3/1986	Faidide	.....	D8/367
D375,252	S *	11/1996	Serra Fabregas	.....	D8/356
5,937,490	A *	8/1999	Mihailovic	.....	24/600.1
D433,311	S *	11/2000	Luquire	.....	D8/333
D439,506	S *	3/2001	Striebel	.....	D8/367
6,415,634	B2 *	7/2002	Luquire	.....	70/18
D468,997	S *	1/2003	Chang	.....	D8/356
D527,988	S *	9/2006	Shetler	.....	D8/356
D565,392	S *	4/2008	Shetler	.....	D8/356
D655,999	S *	3/2012	Kelleghan	.....	D8/356
D668,528	S *	10/2012	Chung	.....	D8/356
2008/0209700	A1 *	9/2008	Goldberg	.....	24/599.6

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Greer, Burns & Crain, Ltd.

(57) **CLAIM**

The ornamental design for a safety carabiner, as shown and described.

**DESCRIPTION**

FIG. 1 is a side view of a first embodiment of a safety carabiner in a first position.

FIG. 2 is a side view of the safety carabiner of FIG. 1 in a second position.

FIG. 3 is a side view of the safety carabiner of FIG. 1 in a third position.

FIG. 4 is a side view of the safety carabiner of FIG. 1 in a fourth position.

FIG. 5 is a side view of a second embodiment of a safety carabiner in a first position.

FIG. 6 is a side view of the safety carabiner of FIG. 5 in a second position.

FIG. 7 is a side view of the safety carabiner of FIG. 5 in a third position.

FIG. 8 is a side view of the safety carabiner of FIG. 5 in a fourth position.

FIG. 9 is a side view of a third embodiment of a safety carabiner in a first position.

FIG. 10 is a side view of the safety carabiner of FIG. 9 in a second position.

FIG. 11 is a side view of the safety carabiner of FIG. 9 in a third position.

FIG. 12 is a side view of the safety carabiner of FIG. 9 in a fourth position.



FIG. 13 is a side view of a fourth embodiment of a safety carabiner in a first position.

FIG. 14 is a side view of the safety carabiner of FIG. 13 in a second position.

FIG. 15 is a side view of the safety carabiner of FIG. 13 in a third position; and,

FIG. 16 is a side view of the safety carabiner of FIG. 13 in a fourth position.

**1 Claim, 16 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16