



US00D702356S

(12) **United States Design Patent**
Vosch et al.

(10) **Patent No.:** **US D702,356 S**

(45) **Date of Patent:** **** Apr. 8, 2014**

(54) **ELECTRODE PATCH ARRAY**

(71) Applicant: **Tesseract Sensors, LLC**, Sanford, FL (US)

(72) Inventors: **Michael J. Vosch**, Titusville, FL (US);
Benjamin M. Downey, Sanford, FL (US)

(73) Assignee: **Tesseract Sensors, LLC**, Sanford, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,860**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/168, 186–187, 200, 232; D13/182;
600/372–384, 391–393; 607/62, 109,
607/121, 139

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,042,481	A	8/1991	Iguchi	
D425,203	S *	5/2000	Sheehan et al.	D24/187
6,219,568	B1	4/2001	Kelly	
D443,063	S *	5/2001	Pisani et al.	D24/187
6,453,186	B1	9/2002	Lovejoy	
D468,433	S	1/2003	Wagner	
D469,540	S	1/2003	Holker	
D471,281	S *	3/2003	Baura et al.	D24/187
6,532,379	B2 *	3/2003	Stratbucker	600/382
6,609,018	B2	8/2003	Cory	
6,654,626	B2	11/2003	Devlin	
D495,055	S	8/2004	Silber	
6,847,836	B1	1/2005	Sujdak	
D505,206	S *	5/2005	Chastain et al.	D24/187
D519,636	S *	4/2006	Okuda et al.	D24/168

D541,421	S	4/2007	Heasty	
7,286,865	B2	10/2007	Nazeri	
D557,809	S *	12/2007	Neverov et al.	D24/168
D565,183	S	3/2008	Cheng	
D598,114	S	8/2009	Cryan	
D606,660	S *	12/2009	Phillips et al.	D24/187
D607,570	S *	1/2010	Phillips et al.	D24/187
D609,353	S *	2/2010	Cryan	D24/187
D615,660	S *	5/2010	Anderson et al.	D24/187
7,970,450	B2	6/2011	Kroecker	
D655,014	S	2/2012	Gilsdorf	
D658,299	S	4/2012	McGusty	
D658,768	S	5/2012	Parker, III	
D663,431	S	7/2012	Parker, III	
D663,849	S	7/2012	McGusty	
8,238,996	B2 *	8/2012	Burnes et al.	600/382
D669,187	S *	10/2012	Gozani	D24/187

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Olive Law Group, PLLC

(57) **CLAIM**

We claim the ornamental design for the electrode patch array, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an electrode patch array showing our new design;

FIG. 2 is a bottom view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is a side view that opposed the side view of FIG. 3 thereof;

FIG. 5 is a front view thereof;



FIG. 6 is a back view thereof;

FIG. 7 is a top perspective view thereof; and,

FIG. 8 is a bottom perspective view thereof.

The broken lines are included for the purpose of illustrating portions of the electrode patch array that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8