



US00D702378S

(12) **United States Design Patent**  
**Wasem**

(10) **Patent No.:** **US D702,378 S**  
(45) **Date of Patent:** **\*\* Apr. 8, 2014**

(54) **DECORATIVE MULTI-STRAND LIGHTING ASSEMBLY**

6,224,231 B1 5/2001 Personius  
6,478,455 B2 11/2002 Ahroni  
6,497,497 B1 12/2002 Ahroni  
6,634,766 B1 10/2003 Gordon

(71) Applicant: **Wellspring Innovations, LLC**, Johnson City, TN (US)

(Continued)

(72) Inventor: **Leslie Wasem**, Johnson City, TN (US)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **Wellspring Innovations, LLC**, Johnson City, TN (US)

GB 2386181 A 9/2003

(\*\*) Term: **14 Years**

*Primary Examiner* — Brian N Vinson

(21) Appl. No.: **29/460,133**

(74) *Attorney, Agent, or Firm* — HolzerIPLaw, PC

(22) Filed: **Jul. 8, 2013**

(57) **CLAIM**

The ornamental design for a decorative multi-strand lighting assembly, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(63) Continuation of application No. 12/669,029, filed on Jan. 13, 2010, now Pat. No. 8,480,278.

FIG. 1 is a perspective view of a decorative multi-strand lighting assembly in a fully extended orientation according to my new design.

(51) **LOC (10) Cl.** ..... **26-03**

FIG. 2 is a left side elevation view of a hook portion of the decorative multi-strand lighting assembly in an open orientation. A right side elevation view thereof is a mirror image of the left side elevation view.

(52) **U.S. Cl.**  
USPC ..... **D26/25**

FIG. 3 is a left side elevation view of a hook portion of the decorative multi-strand lighting assembly in a closed orientation. A right side elevation view thereof is a mirror image of the left side elevation view.

(58) **Field of Classification Search**  
USPC ..... D26/25; 362/123, 249, 250, 806  
See application file for complete search history.

FIG. 4 is a front elevation view of a hook portion of the decorative multi-strand lighting assembly.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

1,843,389 A 2/1932 Fischer  
2,453,695 A \* 11/1948 Belling ..... 362/123  
4,072,857 A 2/1978 DeVicaris  
4,736,282 A 4/1988 Ahroni  
5,057,976 A \* 10/1991 DuMong ..... 362/123  
5,245,519 A 9/1993 Openiano  
D360,701 S \* 7/1995 Glasstetter ..... D26/25  
D377,843 S 2/1997 Schering  
5,609,412 A \* 3/1997 Contigiani ..... 362/123  
5,700,081 A 12/1997 Mengle et al.  
6,142,429 A 11/2000 Ahroni  
D439,991 S \* 4/2001 Wong ..... D26/25

FIG. 5 is a top plan view of a light strand portion of the decorative multi-strand lighting assembly in a fully extended orientation. A rear plan view thereof is a mirror image of the top plan view; and,

FIG. 6 is a partial perspective view of the decorative multi-strand lighting assembly in a loosely hanging orientation. The broken lines shown in each of FIGS. 1, 5, and 6 depict light bulbs, which form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

|              |        |                 |                 |         |                     |
|--------------|--------|-----------------|-----------------|---------|---------------------|
|              |        |                 | 7,152,998 B2    | 12/2006 | Rahman              |
|              |        |                 | 2004/0012950 A1 | 1/2004  | Pan                 |
|              |        |                 | 2005/0024871 A1 | 2/2005  | Wu                  |
|              |        |                 | 2007/0195516 A1 | 8/2007  | Cheng               |
| 6,752,512 B2 | 6/2004 | Pan             |                 |         |                     |
| D515,225 S * | 2/2006 | Rau et al. .... | D26/25          |         | * cited by examiner |




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6