



US00D702621S

(12) **United States Design Patent**
Nosworthy

(10) **Patent No.:** **US D702,621 S**
(45) **Date of Patent:** **** Apr. 15, 2014**

(54) **COMBINED HEADLIGHT AND SHOCK MOUNT**

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Curtis L. Harrington; Harrington & Harrington

(76) **Inventor:** **Dennis Michael Nosworthy**, Coto de Caza, CA (US)

(**) **Term:** **14 Years**

(57) **CLAIM**

The ornamental design for a combined headlight and shock mount, as shown and described.

(21) **Appl. No.:** **29/407,109**

(22) **Filed:** **Nov. 22, 2011**

(51) **LOC (10) Cl.** **12-06**

(52) **U.S. Cl.**
USPC **D12/223**

(58) **Field of Classification Search**
USPC D12/223, 414.1, 187; D8/354, 349;
248/354.3, 354.1; 280/288
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle left side combined headlight and shock mount, a right side combined headlight and shock mount being a mirror image thereof;
FIG. 2 is a front view;
FIG. 3 is a rear view;
FIG. 4 is a left side view;
FIG. 5 is a right side view;
FIG. 6 is a top view; and,
FIG. 7 is a bottom side view.
In the drawings, the broken lines in areas of FIGS. 1 and 6 depict environmental subject matter that forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D241,532 S *	9/1976	Bourassa	D12/187
D330,158 S *	10/1992	Mosteller	D8/373
D585,356 S *	1/2009	Gillan et al.	D12/223
D611,085 S *	3/2010	Rix	D16/242
8,550,410 B2 *	10/2013	Fraser	248/27.1

* cited by examiner

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7