



US00D702640S

(12) **United States Design Patent**
Restrepo et al.

(10) **Patent No.:** **US D702,640 S**
(45) **Date of Patent:** **** Apr. 15, 2014**

(54) **USB RECEPTACLE DEVICE**
(71) Applicants: **Carlos Eduardo Restrepo**, Atlanta, GA (US); **Rohit Sumerchand Dodal**, Peachtree City, GA (US); **Bob Zhu**, Shanghai (CN); **Alex Zhuang**, Shanghai (CN); **Kevin Zhong**, Shanghai (CN)

D558,676 S 1/2008 Fort et al.
D598,859 S 8/2009 Vaccaro et al.
D601,962 S 10/2009 Song
D604,873 S 11/2009 Richter et al.
D674,753 S * 1/2013 Jansen et al. D13/139.1
D686,577 S * 7/2013 Flagello D13/152

OTHER PUBLICATIONS

(72) Inventors: **Carlos Eduardo Restrepo**, Atlanta, GA (US); **Rohit Sumerchand Dodal**, Peachtree City, GA (US); **Bob Zhu**, Shanghai (CN); **Alex Zhuang**, Shanghai (CN); **Kevin Zhong**, Shanghai (CN)

<http://www.pilotmedia.us/wordpress/admin/features/rapid-usb-charger-ready-to-come-aboard/>.
<http://www.slashgear.com/truepower-outlet-packs-usb-ports-and-ac-for-just-9-95-065164/>.
<http://www.virginiasweetpea.com/2013/01/how-to-add-a-usb-port-to-a-wall-outlet.html>.

(73) Assignee: **Cooper Technologies Company**, Houston, TX (US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Robert M Spear
Assistant Examiner — Rhea Shields

(21) Appl. No.: **29/468,299**

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(22) Filed: **Sep. 27, 2013**

Related U.S. Application Data

(62) Division of application No. 29/436,365, filed on Nov. 5, 2012.

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.1**

(58) **Field of Classification Search**
USPC D13/152, 164, 184, 137.1, 139.1, 153, D13/137.2, 133, 137.4, 139.7, 130, 128, D13/132, 138.2, 139.4, 139.8, 139.6, 123, D13/160, 107; 361/683; D9/416, 423
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a USB receptacle device, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of a new ornamental design for a USB receptacle device;
FIG. 2 is a front elevation view of the USB receptacle device of FIG. 1;
FIG. 3 is a back elevation view of the USB receptacle device of FIG. 1;
FIG. 4 is a left-side elevation view of the USB receptacle device of FIG. 1;
FIG. 5 is a right-side elevation view of the USB receptacle device of FIG. 1;
FIG. 6 is a top plan view of the USB receptacle device of FIG. 1; and,
FIG. 7 is a bottom plan view of the USB receptacle device of FIG. 1.
The broken lines in the drawings illustrate unclaimed environment only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D430,539 S 9/2000 Leopold et al.
D462,660 S 9/2002 Huang et al.
D531,121 S 10/2006 Fort et al.
D535,256 S 1/2007 Fort et al.
D536,305 S 2/2007 Fort et al.
D542,223 S 5/2007 Bazayev et al.
D545,272 S 6/2007 Zhang et al.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 7




FIG. 5




FIG. 4