

US00D702765S

(12) **United States Design Patent** (10) **Patent No.:** **US D702,765 S**
Williams (45) **Date of Patent:** **** Apr. 15, 2014**

(54) **SECURITY INHERENT WRAP LABEL WITH
PATTERNED ADHESIVE**

(71) Applicant: **Robert E. Williams**, Collinsville, IL
(US)
(72) Inventor: **Robert E. Williams**, Collinsville, IL
(US)
(73) Assignee: **Sev-Rend Corporation**, Collinsville, IL
(US)
(**) Term: **14 Years**
(21) Appl. No.: **29/442,826**
(22) Filed: **May 28, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 12/928,363,
filed on Dec. 9, 2010, now abandoned, which is a
continuation-in-part of application No. 12/924,728,
filed on Oct. 4, 2010, now abandoned.
(51) **LOC (10) Cl.** **19-08**
(52) **U.S. Cl.**
USPC **D20/22**
(58) **Field of Classification Search**
USPC D20/10, 11, 19, 22–29, 40, 99; 40/5, 6,
40/124.01–124.09, 124.11–124.19,
40/124.191, 299.01, 306–308, 310–313,
40/340, 360, 625, 626, 668; D9/702, 711,
D9/715, 434, 499, 549; D24/128, 189;
D29/101.1; 283/56, 71, 81; 428/40.1,
428/42.1–42.3, 121, 578, 582

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,471,716	A *	10/1923	Austin		40/340
3,074,133	A *	1/1963	Jones		40/668
3,841,936	A	10/1974	Fergg et al.		
4,537,821	A *	8/1985	Fast		428/121
4,577,426	A	3/1986	Jenkins		
4,727,667	A	3/1988	Ingle		
4,760,660	A *	8/1988	Fast		40/308
5,435,600	A	7/1995	Griffiths et al.		
D364,922	S *	12/1995	Bierman		D24/128
5,879,815	A *	3/1999	Schotz		428/582
5,884,425	A	3/1999	Baldwin		
6,073,377	A	6/2000	Mehta		
D443,899	S *	6/2001	Stephens		D20/22
D451,554	S *	12/2001	Fasano		D20/22
6,599,481	B2	7/2003	Savitz et al.		
7,306,263	B2	12/2007	Hudson		
D563,602	S *	3/2008	Armentrout et al.		D29/101.1
D611,545	S *	3/2010	Williams		D20/28
D615,402	S *	5/2010	Doster		D9/457

* cited by examiner

Primary Examiner — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Paul M. Denk


(57) **CLAIM**

The ornamental design for the security inherent wrap label
with patterned adhesive, as shown and described.

DESCRIPTION

FIG. 1 is a plan view of the security inherent wrap label with
patterned adhesive of this invention;
FIG. 2 is a bottom view;
FIG. 3 is a side view;
FIG. 4 is an end view; and,
FIG. 5 is an isometric view of this invention located upon a
clamshell container, shown in phantom lines.
In FIGS. 1 and 2, the long evenly spaced dashed lines repre-
sent perforations. The short evenly spaced broken lines rep-
resent the patterned adhesive. The dot-dot-dash broken lines
represent a container and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5