

US00D702794S

(12) **United States Design Patent**
Chow et al.

(10) **Patent No.:** **US D702,794 S**
(45) **Date of Patent:** **** Apr. 15, 2014**

(54) **SINGLE SHOT ELECTRONIC CONTROL
DEVICE**

(75) Inventors: **Eric H. Chow**, Koto-Ku (JP);
Christopher W. Baldwin, Mesa, AZ
(US); **Michael E. Gish**, Phoenix, AZ
(US); **Ryan C. Markle**, Peoria, AZ (US)

(73) Assignee: **TASER International, Inc.**, Scottsdale,
AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/428,830**

(22) Filed: **Aug. 3, 2012**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/104**

(58) **Field of Classification Search**

USPC D22/104, 108, 117; 361/232; 102/438,
102/293, 439, 502, 430, 447, 448, 469;
124/57-59; 89/1.11; 362/109, 119;
463/47.3, 47.4

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,050,480	A	9/1991	Knight	
5,522,167	A	6/1996	Teetzel	
D445,846	S	7/2001	Hornsby	
D449,354	S	10/2001	Hornsby	
D449,659	S *	10/2001	Hornsby et al.	D21/574
6,341,442	B1	1/2002	Szabo	
D454,166	S	3/2002	Hornsby	
D454,926	S *	3/2002	Hornsby et al.	D21/574
D458,652	S	6/2002	Chan	
D458,975	S	6/2002	Hornsby	
6,415,702	B1	7/2002	Szabo	
6,718,680	B2	4/2004	Roca	

7,102,870	B2	9/2006	Nerheim	
7,158,382	B2	1/2007	Fan	
7,314,007	B2	1/2008	Su	
7,586,733	B2	9/2009	Nerheim	
7,631,452	B1	12/2009	Brundula	
7,679,000	B2	3/2010	Rauckman	
D630,290	S *	1/2011	Velasquez et al.	D22/104
D678,452	S *	3/2013	Baldwin et al.	D22/103

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — William R. Bachand

(57) **CLAIM**

The ornamental design for a single shot electronic control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electronic control device, showing novel design, with the top, front, and left side visible; FIG. 2 is a perspective view of the electronic control device of FIG. 1, with the top, rear, and left side visible; FIG. 3 is a front view of the electronic control device of FIG. 1;

FIG. 4 is a rear view of the electronic control device of FIG. 1;

FIG. 5 is a right side view of the electronic control device of FIG. 1;


FIG. 6 is a left side view of the electronic control device of FIG. 1;

FIG. 7 is a top view of the electronic control device of FIG. 1; and,

FIG. 8 is a bottom view of the electronic control device of FIG. 1.

The right side and the left side are symmetrically identical except that a battery release push button appears only on the left side.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8