

US00D702866S

(12) **United States Design Patent**
Blincoe et al.

(10) **Patent No.:** **US D702,866 S**
(45) **Date of Patent:** **** Apr. 15, 2014**

(54) **LIGHT-EMITTING DIODE (LED)**
FLOODLIGHT

(71) Applicants: **Patrick Stephen Blincoe**, Kirkville, NY
(US); **Kantesh Vittal Agnihotri**,
Syracuse, NY (US)

(72) Inventors: **Patrick Stephen Blincoe**, Kirkville, NY
(US); **Kantesh Vittal Agnihotri**,
Syracuse, NY (US)

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/465,515**

(22) Filed: **Aug. 28, 2013**

Related U.S. Application Data

(62) Division of application No. 29/388,486, filed on Mar.
29, 2011, now Pat. No. Des. 690,857.

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/63**

(58) **Field of Classification Search**

USPC D26/24, 60–66, 72, 85, 92, 113,
D26/118–119; 362/89, 217.01, 220, 217.02,
362/217.1, 217.14, 217.16, 257, 249,
362/268–269, 275, 277, 282, 285, 310, 362,
362/368, 370, 382, 404, 418, 425, 427, 432,
362/433, 457, 804

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D136,799 S * 12/1943 Vendope D26/64
D625,870 S * 10/2010 Feigenbaum D26/63
7,854,534 B2 12/2010 Liu
7,918,591 B2 4/2011 Lynch

D641,905 S * 7/2011 Janssen D26/63
7,993,033 B2 8/2011 Moriyama et al.
D645,593 S * 9/2011 Janssen D26/63
D645,594 S * 9/2011 Grawe D26/63
8,057,057 B2 11/2011 Park
D650,505 S * 12/2011 Oka D26/63
D663,877 S * 7/2012 Quevy et al. D26/63

(Continued)

FOREIGN PATENT DOCUMENTS

KR 20-2008-0000034 1/2008
KR 20-0447539 2/2010
KR 100945420 8/2010
KR 10-0997746 12/2010

OTHER PUBLICATIONS

Cooper Crouse-Hinds, “VMVIG and DMVIG Series Champ Induc-
tion Luminaires with Induction Lighting System”, Product Brochure,
Jun. 2005, pp. 1-8, Cooper Crouse-Hinds, USA.

(Continued)

Primary Examiner — Brian N Vinson

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for a light-emitting diode (LED)
floodlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an LED floodlight in accor-
dance with our design;

FIG. 2 is a front side view thereof;

FIG. 3 is a back side view thereof;

FIG. 4 is a left-side view thereof;


FIG. 5 is a right-side view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown represent unclaimed subject matter
and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D667,582 S * 9/2012 Toft D26/63
8,292,449 B2 * 10/2012 Poissonnet et al. 362/370
2008/0062682 A1 3/2008 Hoelen et al.
2010/0014289 A1 1/2010 Thomas et al.
2010/0259935 A1 10/2010 Scordino et al.
2011/0019416 A1 1/2011 Poissonnet et al.
2011/0068708 A1 3/2011 Coplin et al.
2011/0110081 A1 5/2011 Belknap et al.

2011/0141728 A1 6/2011 Russello et al.
2011/0235330 A1 9/2011 Pedersen et al.
2011/0242822 A1 10/2011 Rong et al.
2011/0249427 A1 10/2011 Rooms et al.
2011/0309751 A1 12/2011 Ter-Hovhannisyan

OTHER PUBLICATIONS

Cooper Crouse-Hinds, "Flood Light Fixtures", Product Brochure, 2001, pp. 1-12, Cooper Crouse-Hinds, USA.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7