



US00D703033S

(12) **United States Design Patent**
Karlsson

(10) **Patent No.:** **US D703,033 S**
(45) **Date of Patent:** **** Apr. 22, 2014**

(54) **RETAINING CLAMP FOR A SPLICE BOX**

(75) Inventor: **Andreas Karlsson**, Karlskrona (SE)

(73) Assignee: **Roxtec AB**, Karlskrona (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/415,548**

(22) Filed: **Mar. 12, 2012**

Related U.S. Application Data

(62) Division of application No. 29/366,733, filed on Jul. 29, 2010, now Pat. No. Des. 658,129.

Foreign Application Priority Data

(30)

Feb. 5, 2010 (EM) 001666074

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396**

(58) **Field of Classification Search**
USPC D13/133, 139.4, 147, 152, 154, 156,
D13/158, 160, 162-164, 173, 184, 199;
D8/354, 356, 394, 396; 174/50, 53-55,
174/58, 60, 66, 67; 220/3.2, 3.3, 3.7-3.9,
220/241, 242, 244, 315; 439/135, 136, 138,
439/142, 367, 373, 535, 536, 537, 541, 892,
439/893; 248/49, 74.1-74.5, 73, 70, 228.8,
248/230.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,044 S 6/1899 Perkins
D183,593 S 9/1958 Atkin
D185,057 S 5/1959 Atkin
3,141,642 A * 7/1964 Mayrath 248/74.3

D227,989 S 7/1973 Geisel
D243,406 S 2/1977 Mooney et al.
4,611,873 A 9/1986 Punako et al.
D307,541 S * 5/1990 Tres D8/396
4,983,932 A 1/1991 Kitagawa
D329,840 S 9/1992 Nociar
D356,091 S 3/1995 Grande
D361,313 S 8/1995 Sai et al.
D364,625 S 11/1995 Grande
D367,644 S 3/1996 Fukao et al.
D370,889 S 6/1996 Anthony
D389,052 S * 1/1998 Yamamoto D8/396
D392,618 S 3/1998 Fukao et al.
D414,405 S * 9/1999 Tompkins D8/396
D439,563 S 3/2001 Shimojo

(Continued)

OTHER PUBLICATIONS

Notice of Allowance for related U.S. Appl. No. 29/415,550 dated Sep. 11, 2013.

(Continued)


Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**
The ornamental design for a retaining clamp for a splice box, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a retaining clamp for a splice box;
FIG. 2 is a first side view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a second side view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a third side view thereof; and,
FIG. 7 is a fourth side view thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D449,581 S 10/2001 Bosatelli
D467,878 S 12/2002 Bryndzia
D478,872 S 8/2003 Heggem
D484,097 S 12/2003 Drane et al.
D526,973 S 8/2006 Gates et al.
D552,558 S 10/2007 Kelly et al.
D560,610 S 1/2008 McCoy
D577,423 S * 9/2008 Dole D23/265
D580,371 S 11/2008 Farahani
D584,604 S * 1/2009 Baldwin D8/396
D585,837 S 2/2009 Keuhne et al.
D614,138 S 4/2010 Blixt
D618,176 S 6/2010 Kato et al.

D636,736 S 4/2011 Otasu et al.
D642,045 S * 7/2011 Sweeney D8/356
D647,394 S * 10/2011 Taylor D8/396
D653,103 S * 1/2012 Tomasi et al. D8/396
D653,530 S * 2/2012 Hammond et al. D8/396
D658,129 S 4/2012 Karlsson
D665,247 S * 8/2012 Hammond et al. D8/396
D672,229 S * 12/2012 Reid D8/396
D676,738 S * 2/2013 Hammond et al. D8/396
D687,384 S 8/2013 Kazakia

OTHER PUBLICATIONS

Office Action for related U.S. Appl. No. 29/415,545 dated Sep. 12, 2013.

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7