



US00D703095S

(12) **United States Design Patent**  
**Fildan et al.**

(10) **Patent No.:** **US D703,095 S**  
(45) **Date of Patent:** **\*\* Apr. 22, 2014**

(54) **BRASSIERE BACK FASTENER**

(75) Inventors: **Gerhard Fildan**, Vienna (AT); **Karl Wanzenboeck**, Teesdorf (AT)

(73) Assignee: **Fildan Accessories (HK) Ltd.**, Kwung Tong Kowloon (HK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/419,932**

(22) Filed: **May 3, 2012**

(51) **LOC (10) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D11/218**

(58) **Field of Classification Search**  
USPC ..... D11/1-2, 200-201, 206-210, 214-218;  
24/163 R, 169-171, 173, 177-179, 191,  
24/194-195, 197, 200, 614-616, 625, 321,  
24/714.2, 592.1, 697.1, 591.1, 303, 669;  
450/58, 72, 25, 1, 13; 2/265; 112/407;  
D2/705, 706, 708, 636, 639, 853, 700,  
D2/701

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,971,134	A *	8/1934	Davis	267/180
2,861,276	A *	11/1958	Alfandre	112/407
3,066,310	A *	12/1962	Roseman	2/265
3,530,813	A *	9/1970	Roseman et al.	112/407
6,520,832	B2 *	2/2003	Devita et al.	450/1
6,875,075	B2 *	4/2005	Rossi et al.	450/13
7,086,925	B2 *	8/2006	Kaye et al.	450/58
D530,648	S *	10/2006	Utaka	D11/208
D566,612	S *	4/2008	Gut et al.	D11/90
D567,142	S *	4/2008	Gut et al.	D11/208
7,618,305	B2 *	11/2009	Gut et al.	450/72
7,641,536	B2 *	1/2010	Fildan et al.	450/72
D623,987	S *	9/2010	Fildan et al.	D11/208
7,918,711	B2 *	4/2011	Yeung	450/58
8,230,559	B2 *	7/2012	Fildan et al.	24/303
8,359,718	B2 *	1/2013	Yeung	24/591.1

\* cited by examiner

*Primary Examiner* — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Andrew Wilford

(57) **CLAIM**

The ornamental design for a brassiere back fastener, as shown and described.

**DESCRIPTION**

FIG. 1 is a back view of a brassiere back fastener showing the first embodiment of our new design. This view shows the 1x1 back part of the invention with a single row having a single hook, the U-shaped bar along the periphery of the part and the straight bar across the part here and in subsequent figures being welds;

FIG. 2 is a front view of a 1x1 front part that is with one row with one round loop;

FIG. 3 is a back view of the 1x1 front and back parts with the hook of the 1x1 back part hooked into the round loop of the 1x1 front part, the parts here and in subsequent figures being comprised of a bonded textile laminate with at least one metal hook and at least one metal loop having legs imbedded between layers of the laminate, the parts of this hook and eye tape are connected to the ends of respective wings that extend across the back of the wearer of the brassiere, each wing terminating in the front at a side of a respective cup, with a strap typically extending over each shoulder of the wearer from the top of the cup to the top edge of the respective wing somewhat outward from the fastener part fixed on the end thereof;

FIG. 4 is a side edge view of the 1x1 back part, the opposite side edge view being a mirror image thereof;

FIG. 5 is a side edge view of the 1x1 front part, the opposite side edge view being a mirror image thereof;

FIG. 6 is an end edge view of the 1x1 back part;

FIG. 7 is a front view of the 1x1 back part;

FIG. 8 is an opposite end edge view of the 1x1 back part;

FIG. 9 is an end edge view of the 1x1 front part;

FIG. 10 is a back view of the 1x1 front part;

FIG. 11 is an opposite end edge view of the 1x1 front part;

FIG. 12 is a second embodiment with a view like FIG. 10 of the 1x1 front part but with a semicircular loop;

FIG. 13 is a third embodiment with a view like FIG. 10 of the 1x1 front part but with a square loop;






FIG. 14 is a fourth embodiment with a view like FIG. 10 of the 1×1 front part but with a trapezoidal loop;  
FIG. 15 is a fifth embodiment with a back view of another 1×1 back part identical to that of FIG. 1;  
FIG. 16 is a front view of a 2×1 front part, that is having two rows each with one round loop;  
FIG. 17 is a back view of the 1×1 back part and 2×1 front part of FIGS. 15 and 16 with a hook of the back part hooked into the outer round loop of the front part;  
FIG. 18 is a side edge view of the 1×1 back part identical to FIG. 4, the opposite side edge view being a mirror image thereof;  
FIG. 19 is a side edge view of the 2×1 front part, the opposite side edge view being a mirror image thereof;  
FIG. 20 is an end edge view of the 1×1 back part identical to FIG. 6;  
FIG. 21 is a front view of the 1×1 back part identical to FIG. 7;  
FIG. 22 is an opposite end edge view of the 1×1 back part identical to FIG. 8;  
FIG. 23 is an end edge view of the 2×1 front part;  
FIG. 24 is a back view of the 2×1 front part;  
FIG. 25 as an opposite end edge view of the 2×1 front part;  
FIG. 26 as a view like FIG. 17, but with the hook of the back part hooked into the inner round loop of the front part;  
FIG. 27, the sixth embodiment, is a view like FIG. 24 of the 2×1 front part but with semicircular loops;  
FIG. 28, the seventh embodiment, is a view like FIG. 24 of the 2×1 front part but with square loops;  
FIG. 29, the eighth embodiment, is a view like FIG. 24 of the 2×1 front part but with trapezoidal loops;  
FIG. 30, is the ninth embodiment, is a back view of another 1×1 back part identical to that of FIG. 1;  
FIG. 31 is a front view of a 3×1 front part, that is having three rows each with one round loop;  
FIG. 32 is a back view of the 1×1 back part and 3×1 front part of FIGS. 30 and 31 with the hook of the back part hooked into the outer round loop of the front part;  
FIG. 33 is a side edge view of the 1×1 back part identical to FIG. 4, the opposite side edge view being a mirror image thereof;  
FIG. 34 is a side edge view of the 3×1 front part, the opposite side edge view being a mirror image thereof;  
FIG. 35 is a back view of the 1×1 back part and 3×1 front part of FIGS. 30 and 31 with the hook of the back part hooked into the middle round loop of the front part;  
FIG. 36 is an end edge view of the 1×1 back part identical to FIG. 6;  
FIG. 37 is a front view of the 1×1 back part identical to FIG. 7;  
FIG. 38 is an opposite end edge view of the 1×1 back part identical to FIG. 8;  
FIG. 39 is an end edge view of the 3×1 front part;  
FIG. 40 is a back view of the 3×1 front part;  
FIG. 41 is an opposite end edge view of the 3×1 front part;  
FIG. 42 is a view like FIG. 32, but with the hook of the 1×1 back part hooked into the inner round loop of the 3×1 front part;  
FIG. 43, the tenth embodiment, is a view like FIG. 40 of the 3×1 front part but with semicircular loops;  
FIG. 44, the eleventh embodiment, is a view like FIG. 40 of the 3×1 front part but with square loops;  
FIG. 45, the twelfth embodiment, is a view like FIG. 40 of the 3×1 front part but with trapezoidal loops;

FIG. 46, the thirteenth embodiment, is a back view of another 1×1 back part identical to that of FIG. 1;  
FIG. 47 is a front view of a 4×1 front part, that is having four rows each with one round loop;  
FIG. 48 is a back view of the 1×1 back part and 4×1 front part of FIGS. 46 and 47 with the hook of the back part hooked into the fourth or outermost round loop of the front part;  
FIG. 49 is a side edge view of the 1×1 back part identical to FIG. 4, the opposite side edge view being a mirror image thereof;  
FIG. 50 is a side edge view of the 4×1 front part, the opposite side edge view being a mirror image thereof;  
FIG. 51 is a back view of the 1×1 back part and 4×1 front part of FIGS. 46 and 47 with the hook of the back part hooked into the third round loop of the front part;  
FIG. 52 is an end edge view of the 1×1 back part identical to FIG. 6;  
FIG. 53 is a front view of the 1×1 back part identical to FIG. 7;  
FIG. 54 is an opposite end edge view of the 1×1 back part identical to FIG. 8;  
FIG. 55 is an end edge view of the 4×1 front part;  
FIG. 56 is a back view of the 4×1 front part;  
FIG. 57 is an opposite end edge view of the 4×1 front part;  
FIG. 58 is a back view of the 1×1 back part and 4×1 front part of FIGS. 46 and 47 with the hook of the back part hooked into the second round loop of the front part;  
FIG. 59 is a back view of the 1×1 back part and 4×1 front part of FIGS. 46 and 47 with the hook of the back part hooked into the first or innermost round loop of the front part;  
FIG. 60, the fourteenth embodiment, is a view like FIG. 56 of the 4×1 front part but with semicircular loops;  
FIG. 61, the fifteenth embodiment, is a view like FIG. 56 of the 4×1 front part but with square loops;  
FIG. 62, the sixteenth embodiment, is a view like FIG. 56 of the 4×1 front part but with trapezoidal loops;  
FIG. 63, the seventeenth embodiment, is a back view of a 1×2 back part of the invention with a single row having two hooks;  
FIG. 64 is a front view of a 1×2 front part, that is with one row with two round loops;  
FIG. 65 is a back view of the 1×2 front and back parts with the hooks of the 1×2 back part hooked into the round loops of the 1×2 front part;  
FIG. 66 is a side edge view of the 1×2 back part, the opposite side edge view being a mirror image thereof;  
FIG. 67 is a side edge view of the 1×2 front part, the opposite side edge view being a mirror image thereof;  
FIG. 68 is an end edge view of the 1×2 back part;  
FIG. 69 is a front view of the 1×2 back part;  
FIG. 70 is an opposite end edge view of the 1×2 back part;  
FIG. 71 is an end edge view of the 1×2 front part;  
FIG. 72 is a back view of the 1×2 front part;  
FIG. 73 is an opposite end edge view of the 1×2 front part;  
FIG. 74, the eighteenth embodiment, is a view like FIG. 72 of the 1×2 front part but with a semicircular loop;  
FIG. 75, the nineteenth embodiment, is a view like FIG. 72 of the 1×2 front part but with a square loop;  
FIG. 76, the twenty embodiment, is a view like FIG. 72 of the 1×2 front part but with a trapezoidal loop;  
FIG. 77, the twenty-first embodiment, is a back view of another 1×2 back part identical to that of FIG. 63;  
FIG. 78 is a front view of a 2×2 front part, that is having two rows each with two loops;



FIG. 79 is a back view of the 1×2 back part and 2×2 front part of FIGS. 77 and 78 with the hooks of the back part hooked into the outer row of round loops of the front part;

FIG. 80 is a side edge view of the 1×2 back part identical to FIG. 66, the opposite side edge view being a mirror image thereof;

FIG. 81 is a side edge view of the 2×2 front part, the opposite side edge view being a mirror image thereof;

FIG. 82 is an end edge view of the 1×2 back part identical to FIG. 68;

FIG. 83 is a front view of the 1×2 back part identical to FIG. 69;

FIG. 84 is an opposite end edge view of the 1×2 back part identical to FIG. 70;

FIG. 85 is an end edge view of the 2×2 front part;

FIG. 86 is a back view of the 2×2 front part;

FIG. 87 is an opposite end edge view of the 2×2 front part;

FIG. 88 is a view like FIG. 79, but with the hooks of the back part hooked into the inner row of round loops of the front part;

FIG. 89, the twenty-second embodiment, is a view like FIG. 86 of the 2×2 front part but with semicircular loops;

FIG. 90, the twenty-third embodiment, is a view like FIG. 86 of the 2×2 front part but with square loops;

FIG. 91, the twenty-fourth embodiment, is a view like FIG. 86 of the 2×2 front part but with trapezoidal loops;

FIG. 92, the twenty-fifth embodiment, is a back view of another 1×2 back part identical to that of FIG. 63;

FIG. 93 is a front view of a 3×2 front part, that is having three rows each with two round loops;

FIG. 94 is a back view of the 1×2 back part and 3×2 front part of FIGS. 92 and 93 with the hooks of the back part hooked into the outer row of round loops of the front part;

FIG. 95 is a side edge view of the 1×2 back part identical to FIG. 66, the opposite side edge view being a mirror image thereof;

FIG. 96 is a side edge view of the 3×2 front part, the opposite side edge view being a mirror image thereof;

FIG. 97 is an end edge view of the 1×2 back part identical to FIG. 68;

FIG. 98 is a front view of the 1×2 back part identical to FIG. 69;

FIG. 99 is an opposite end edge view of the 1×2 back part identical to FIG. 70;

FIG. 100 is an end edge view of the 3×2 front part;

FIG. 101 is a back view of the 3×2 front part;

FIG. 102 is an opposite end edge view of the 3×2 front part;

FIG. 103 is a back view of the 1×2 back part and 3×2 front part of FIGS. 92 and 93 with the hooks of the back part hooked into the middle row of round loops of the front part;

FIG. 104 is a view like FIG. 103, but with the hooks of the 1×2 back part hooked into the inner row of round loops of the 3×2 front part;

FIG. 105, the twenty-sixth embodiment, is a view like FIG. 40 of the 3×2 front part but with semicircular loops;

FIG. 106, the twenty-seventh embodiment, is a view like FIG. 40 of the 3×2 front part but with square loops;

FIG. 107, the twenty-eighth embodiment, is a view like FIG. 40 of the 3×2 front part but with trapezoidal loops;

FIG. 108, the twenty-ninth embodiment, is a back view of another 1×2 back part identical to that of FIG. 63;

FIG. 109 is a front view of a 4×2 front part that is having four rows each with two round loops;

FIG. 110 is a back view of the 1×2 back part and 4×2 front part of FIGS. 108 and 109 with the hooks of the back part hooked into the fourth or outermost row of round loops of the front part;

FIG. 111 is a side edge view of the 1×2 back part identical to FIG. 66, the opposite side edge view being a mirror image thereof;

FIG. 112 is a side edge view of the 4×2 front part, the opposite side edge view being a mirror image thereof;

FIG. 113 is an end edge view of the 1×2 back part identical to FIG. 68;

FIG. 114 is a front view of the 1×2 back part identical to FIG. 69;

FIG. 115 is an opposite end edge view of the 1×2 back part identical to FIG. 70;

FIG. 116 is an end edge view of the 4×2 front part;

FIG. 117 is a back view of the 4×2 front part;

FIG. 118 is an opposite end edge view of the 4×2 front part;

FIG. 119 is a back view of the 1×2 back part and 4×2 front part of FIGS. 108 and 109 with the hooks of the back part hooked into the third row of round loops of the front part;

FIG. 120 is a back view of the 1×2 back part and 4×2 front part of FIGS. 108 and 109 with the hooks of the back part hooked into the second row of round loops of the front part;

FIG. 121 is a back view of the 1×2 back part and 4×2 front part of FIGS. 108 and 109 with the hook of the back part hooked into the first or innermost row of round loops of the front part;

FIG. 122, the thirtieth embodiment, is a view like FIG. 117 of the 4×2 front part but with semicircular loops;

FIG. 123, the thirty-first embodiment, is a view like FIG. 117 of the 4×2 front part but with square loops;

FIG. 124, the thirty-second embodiment, is a view like FIG. 117 of the 4×2 front part but with trapezoidal loops;

FIG. 125, the thirty-third embodiment, is a back view of a 1×3 back part of the invention with a single row having three hooks;

FIG. 126 is a front view of a 1×3 front part, that is with one row with three round loops;

FIG. 127 is a back view of the 1×3 front and back parts with the hooks of the 1×3 back part hooked into the round loops of the 1×3 front part;

FIG. 128 is a side edge view of the 1×3 back part, the opposite side edge view being a mirror image thereof;

FIG. 129 is a side edge view of the 1×3 front part, the opposite side edge view being a mirror image thereof;

FIG. 130 is an end edge view of the 1×3 back part;

FIG. 131 is a front view of the 1×3 back part;

FIG. 132 is an opposite end edge view of the 1×3 back part;

FIG. 133 is an end edge view of the 1×3 front part;

FIG. 134 is a back view of the 1×3 front part;

FIG. 135 is an opposite end edge view of the 1×3 front part;

FIG. 136, the thirty-fourth embodiment, is a view like FIG. 134 of the 1×3 front part but with a semicircular loops;

FIG. 137, the thirty-fifth embodiment, is a view like FIG. 134 of the 1×3 front part but with square loops;

FIG. 138, the thirty-sixth embodiment, is a view like FIG. 134 of the 1×3 front part but with trapezoidal loops;

FIG. 139, the thirty-seventh embodiment, is a back view of another 1×3 back part identical to that of FIG. 125;

FIG. 140 is a front view of a 2×3 front part, that is having two rows each with three round loops;

FIG. 141 is a back view of the 1×3 back part and 2×3 front part of FIGS. 139 and 140 with the hook of the back part hooked into the outer row of round loops of the front part;



FIG. 142 is a view like FIG. 141, but with the hooks of the back part hooked into the inner row of round loops of the front part;

FIG. 143 is a side edge view of the 1×3 back part identical to FIG. 128, the opposite side edge view being a mirror image thereof;

FIG. 144 is a side edge view of the 2×3 front part, the opposite side edge view being a mirror image thereof;

FIG. 145 is an end edge view of the 1×3 back part identical to FIG. 130;

FIG. 146 is a front view of the 1×3 back part identical to FIG. 131;

FIG. 147 is an opposite end edge view of the 1×3 back part identical to FIG. 132;

FIG. 148 is an end edge view of the 2×3 front part;

FIG. 149 is a back view of the 2×3 front part;

FIG. 150 is an opposite end edge view of the 2×3 front part;

FIG. 151, the thirty-eighth embodiment, is a view like FIG. 140 of the 2×3 front part but with semicircular loops;

FIG. 152, the thirty-ninth embodiment, is a view like FIG. 140 of the 2×3 front part but with square loops;

FIG. 153, the fortieth embodiment, is a view like FIG. 140 of the 2×3 front part but with trapezoidal loops;

FIG. 154, the forty-first embodiment, is a back view of another 1×3 back part identical to that of FIG. 125;

FIG. 155 is a front view of a 3×3 front part, that is having three rows each with three round loops;

FIG. 156 is a back view of the 3×3 back part and 3×3 front part of FIGS. 154 and 155 with the hook of the back part hooked into the outer row of round loops of the front part;

FIG. 157 is a side edge view of the 1×3 back part identical to FIG. 128, the opposite side edge view being a mirror image thereof;

FIG. 158 is a side edge view of the 3×3 front part, the opposite side edge view being a mirror image thereof;

FIG. 159 is an end edge view of the 3×3 back part identical to FIG. 130;

FIG. 160 is a front view of the 3×3 back part identical to FIG. 131;

FIG. 161 is an opposite end edge view of the 3×3 back part identical to FIG. 132;

FIG. 162 is an end edge view of the 3×3 front part;

FIG. 163 is a back view of the 3×3 front part;

FIG. 164 is an opposite end edge view of the 3×3 front part;

FIG. 165 is a back view of the 3×3 back part and 3×3 front part of FIGS. 30 and 31 with the hooks of the back part hooked into the middle row of round loops of the front part;

FIG. 166 is a view like FIG. 165, but with the hooks of the 3×3 back part hooked into the inner row of round loops of the 3×3 front part;

FIG. 167, the forty-second embodiment, is a view like FIG. 163 of the 3×3 front part but with semicircular loops;

FIG. 168, the forty-third embodiment, is a view like FIG. 163 of the 3×3 front part but with square loops;

FIG. 169, the forty-fourth embodiment, is a view like FIG. 163 of the 3×3 front part but with trapezoidal loops;

FIG. 170, the forty-fifth embodiment, is a back view of another 1×3 back part identical to that of FIG. 125;

FIG. 171 is a front view of a 4×3 front part, that is having four rows each with three round loops;

FIG. 172 is a back view of the 1×3 back part and 4×3 front part of FIGS. 170 and 171 with the hooks of the back part hooked into the fourth or outermost round loop of the front part;

FIG. 173 is a side edge view of the 1×3 back part identical to FIG. 128, the opposite side edge view being a mirror image thereof;

FIG. 174 is a side edge view of the 4×3 front part, the opposite side edge view being a mirror image thereof;

FIG. 175 is an end edge view of the 1×3 back part identical to FIG. 130;

FIG. 176 is a front view of the 1×3 back part identical to FIG. 131;

FIG. 177 is an opposite end edge view of the 1×3 back part identical to FIG. 132;

FIG. 178 is an end edge view of the 4×3 front part;

FIG. 179 is a back view of the 4×3 front part;

FIG. 180 is an opposite end edge view of the 4×3 front part;

FIG. 181 is a back view of the 1×3 back part and 4×3 front part of FIGS. 170 and 171 with the hooks of the back part hooked into the third row of round loops of the front part;

FIG. 182 is a back view of the 1×3 back part and 4×3 front part like FIG. 181 with the hooks of the back part hooked into the second row of round loops of the front part;

FIG. 183 is a back view of the 1×3 back part and 4×3 front part like FIG. 181 with the hooks of the back part hooked into the first or innermost row of round loops of the front part;

FIG. 184, the forty-sixth embodiment, as a view like FIG. 179 of the 4×3 front part but with semicircular loops;

FIG. 185, the forty-seventh embodiment, as a view like FIG. 179 of the 4×3 front part but with square loops;

FIG. 186, the forty-eighth embodiment, as a view like FIG. 179 of the 4×3 front part but with trapezoidal loops;

FIG. 187, the forty-ninth embodiment, as a back view of a 1×4 back part of the invention with a single row having four hooks;

FIG. 188 is a front view of a 1×4 front part, that is with one row with four round loops;

FIG. 189 is a back view of the 1×4 front and back parts with the hooks of the 1×4 back part hooked into the round loops of the 1×4 front part;

FIG. 190 is a side edge view of the 1×4 back part, the opposite side edge view being a mirror image thereof;

FIG. 191 is a side edge view of the 1×4 front part, the opposite side edge view being a mirror image thereof;

FIG. 192 is an end edge view of the 1×4 back part;

FIG. 193 is a front view of the 1×4 back part;

FIG. 194 is an opposite end edge view of the 1×4 back part;

FIG. 195 is an end edge view of the 1×4 front part;

FIG. 196 is a back view of the 1×4 front part;

FIG. 197 is an opposite end edge view of the 1×4 front part;

FIG. 198, the fiftieth embodiment, is a view like FIG. 196 of the 1×4 front part but with a semicircular loop;

FIG. 199, the fifty-first embodiment, is a view like FIG. 196 of the 1×4 front part but with a square loop;

FIG. 200, the fifty-second embodiment, is a view like FIG. 196 of the 1×4 front part but with a trapezoidal loop;

FIG. 201, the fifty-third embodiment, is a back view of another 1×4 back part identical to that of FIG. 187;

FIG. 202 is a front view of a 2×4 front part, that is having two rows each with four loops;

FIG. 203 is a back view of the 1×4 back part and 2×4 front part of FIGS. 201 and 202 with the hooks of the back part hooked into the outer row of round loops of the front part;

FIG. 204 is a side edge view of the 1×4 back part identical to FIG. 190, the opposite side edge view being a mirror image thereof;

FIG. 205 is a side edge view of the 2×4 front part, the opposite side edge view being a mirror image thereof;



FIG. 206 is an end edge view of the 1×4 back part identical to FIG. 192;

FIG. 207 is a front view of the 1×4 back part identical to FIG. 193;

FIG. 208 is an opposite end edge view of the 1×4 back part identical to FIG. 194;

FIG. 209 is an end edge view of the 2×4 front part;

FIG. 210 is a back view of the 2×4 front part;

FIG. 211 is an opposite end edge view of the 2×4 front part;

FIG. 212 is a view like FIG. 203, but with the hooks of the back part hooked into the inner row of round loops of the front part;

FIG. 213, the fifty-fourth embodiment, is a view like FIG. 210 of the 2×4 front part but with semicircular loops;

FIG. 214, the fifty-fifth embodiment, is a view like FIG. 210 of the 2×4 front part but with square loops;

FIG. 215, the fifty-sixth embodiment, is a view like FIG. 210 of the 2×4 front part but with trapezoidal loops;

FIG. 216, the fifty-seventh embodiment, is a back view of another 1×4 back part identical to that of FIG. 187;

FIG. 217 is a front view of a 3×4 front part, which is having two rows each with four round loops;

FIG. 218 is a back view of the 1×4 back part and 3×4 front part of FIGS. 216 and 217 with the hooks of the back part hooked into the outer row of round loops of the front part;

FIG. 219 is a side edge view of the 1×4 back part identical to FIG. 190, the opposite side edge view being a mirror image thereof;

FIG. 220 is a side edge view of the 3×4 front part, the opposite side edge view being a mirror image thereof;

FIG. 221 is an end edge view of the 1×4 back part identical to FIG. 192;

FIG. 222 is a front view of the 1×4 back part identical to FIG. 193;

FIG. 223 is an opposite end edge view of the 1×4 back part identical to FIG. 194;

FIG. 224 is an end edge view of the 3×4 front part;

FIG. 225 is a back view of the 3×4 front part;

FIG. 226 is an opposite end edge view of the 3×4 front part;

FIG. 227 is a back view of the 1×4 back part and 3×4 front part of FIGS. 216 and 217 with the hooks of the back part hooked into the middle row of round loops of the front part;

FIG. 228 is a view like FIG. 227, but with the hooks of the 1×4 back part hooked into the inner row of round loops of the 3×4 front part;

FIG. 229, the fifty-eighth embodiment, is a view like FIG. 225 of the 3×4 front part but with semicircular loops;

FIG. 230, the fifty-ninth embodiment, is a view like FIG. 225 of the 3×4 front part but with square loops;

FIG. 231, the sixtieth embodiment, is a view like FIG. 225 of the 3×4 front part but with trapezoidal loops;

FIG. 232, the sixty-first embodiment, is a back view of another 1×4 back part identical to that of FIG. 187;

FIG. 233 is a front view of a 4×4 front part, that is having four rows each with four round loops;

FIG. 234 is a back view of the 1×4 back part and 4×4 front part of FIGS. 232 and 233 with the hooks of the back part hooked into the fourth or outermost row of round loops of the front part;

FIG. 235 is a side edge view of the 1×4 back part identical to FIG. 190 the opposite side edge view being a mirror image thereof;

FIG. 236 is a side edge view of the 4×4 front part, the opposite side edge view being a mirror image thereof;

FIG. 237 is an end edge view of the 1×4 back part identical to FIG. 192;

FIG. 238 is a front view of the 1×4 back part identical to FIG. 193;

FIG. 239 is an opposite end edge view of the 1×4 back part identical to FIG. 194;

FIG. 240 is an end edge view of the 4×4 front part;

FIG. 241 is a back view of the 4×4 front part;

FIG. 242 is an opposite end edge view of the 4×4 front part;

FIG. 243 is a view like FIG. 234 with the hooks of the back part hooked into the third row of round loops of the front part;

FIG. 244 is a view like FIG. 234 with the hooks of the back part hooked into the second row of round loops of the front part;











FIG. 245 is a view like FIG. 234 with the hooks of the back part hooked into the first or innermost row of round loops of the front part;














FIG. 246, the sixty-second embodiment, is a view like FIG. 241 of the 4×4 front part but with semicircular loops;

FIG. 247, the sixty-third embodiment, is a view like FIG. 241 of the 4×4 front part but with square loops; and,


FIG. 248, the sixty-fourth embodiment, is a view like FIG. 241 of the 4×4 front part but with trapezoidal loops.

**1 Claim, 16 Drawing Sheets**














Fig. 63




Fig. 66



Fig. 68




Fig. 69




Fig. 70

Fig. 74




Fig. 64




Fig. 67




Fig. 71




Fig. 72




Fig. 73

Fig. 75




Fig. 65





Fig. 76










Fig. 82

Fig. 83



Fig. 84




Fig. 89






Fig. 85




Fig. 86




Fig. 90



Fig. 87




Fig. 79




Fig. 88







Fig. 91








Fig. 125



Fig. 128



Fig. 126




Fig. 129



Fig. 127





Fig. 130




Fig. 131




Fig. 132




Fig. 133




Fig. 134



Fig. 135




Fig. 136




Fig. 137




Fig. 138



Fig. 139



Fig. 143



Fig. 145




Fig. 146



Fig. 147

Fig. 140




Fig. 144




Fig. 148




Fig. 149



Fig. 150

Fig. 141





Fig. 151

Fig. 142





Fig. 152




Fig. 153




Fig. 154

Fig. 157




Fig. 159




Fig. 160



Fig. 161




Fig. 155

Fig. 158




Fig. 162




Fig. 163



Fig. 164




Fig. 166

Fig. 165




Fig. 166





Fig. 167

Fig. 168





Fig. 169










Fig. 187




Fig. 190



Fig. 188




Fig. 191



Fig. 189





Fig. 192




Fig. 193



Fig. 194




Fig. 195




Fig. 196



Fig. 197




Fig. 198




Fig. 199




Fig. 200






Fig. 204




Fig. 206




Fig. 207



Fig. 208




Fig. 205




Fig. 209



Fig. 210



Fig. 211




Fig. 212




Fig. 213




Fig. 214





Fig. 215






Fig. 216

Fig. 219





Fig. 221




Fig. 222



Fig. 223




Fig. 224




Fig. 217

Fig. 220




Fig. 225



Fig. 226




Fig. 218

Fig. 227




Fig. 228



Fig. 229




Fig. 230




Fig. 231

