



US00D703100S

(12) **United States Design Patent**
Saitsu

(10) **Patent No.:** **US D703,100 S**

(45) **Date of Patent:** **** Apr. 22, 2014**

(54) **BELT ADJUSTER**

D491,103 S * 6/2004 Uehara et al. D11/218
D654,409 S * 2/2012 Angelfoss et al. D12/133

(71) Applicant: **YKK Corporation**, Tokyo (JP)

* cited by examiner

(72) Inventor: **Natsuko Saitsu**, Toyama (JP)

Primary Examiner — Ralf Seifert

(73) Assignee: **YKK Corporation** (JP)

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(**) Term: **14 Years**

(21) Appl. No.: **29/467,302**

(57) **CLAIM**

(22) Filed: **Sep. 18, 2013**

The ornamental design for a belt adjuster, as shown and described.

(30) **Foreign Application Priority Data**

Mar. 26, 2013 (JP) 2013-006608

DESCRIPTION

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/218**

(58) **Field of Classification Search**
USPC D11/1-2, 200-201, 206-210, 214-218;
24/163 R, 169-171, 173, 177-179, 191,
24/194-195, 197, 200, 614-616, 625, 198
See application file for complete search history.

FIG. 1 is a first perspective view of the front, top and left side of a belt adjuster showing my new design;
FIG. 2 is a second perspective view of the front, bottom and right side thereof;
FIG. 3 is a third perspective view of the rear, top and left side thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a right side view thereof, the left side view being mirror image thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D352,254 S * 11/1994 Prosser D11/218
D421,578 S * 3/2000 Anscher D11/218

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

