



US00D703100S

(12) **United States Design Patent**  
**Saitsu**

(10) **Patent No.:** **US D703,100 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2014**

(54) **BELT ADJUSTER**

D491,103 S \* 6/2004 Uehara et al. .... D11/218  
D654,409 S \* 2/2012 Angelfoss et al. .... D12/133

(71) Applicant: **YKK Corporation**, Tokyo (JP)

\* cited by examiner

(72) Inventor: **Natsuko Saitsu**, Toyama (JP)

*Primary Examiner* — Ralf Seifert

(73) Assignee: **YKK Corporation** (JP)

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/467,302**

(57) **CLAIM**

(22) Filed: **Sep. 18, 2013**

The ornamental design for a belt adjuster, as shown and described.

(30) **Foreign Application Priority Data**

Mar. 26, 2013 (JP) ..... 2013-006608

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D11/218**

(58) **Field of Classification Search**  
USPC ..... D11/1–2, 200–201, 206–210, 214–218;  
24/163 R, 169–171, 173, 177–179, 191,  
24/194–195, 197, 200, 614–616, 625, 198  
See application file for complete search history.

FIG. 1 is a first perspective view of the front, top and left side of a belt adjuster showing my new design;  
FIG. 2 is a second perspective view of the front, bottom and right side thereof;  
FIG. 3 is a third perspective view of the rear, top and left side thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a right side view thereof, the left side view being mirror image thereof;  
FIG. 7 is a top plan view thereof; and,  
FIG. 8 is a bottom view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D352,254 S \* 11/1994 Prosser ..... D11/218  
D421,578 S \* 3/2000 Anscher ..... D11/218

**1 Claim, 7 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7




Fig. 8

