



US00D703154S

(12) **United States Design Patent**
Clymer et al.

(10) **Patent No.:** **US D703,154 S**
(45) **Date of Patent:** **** Apr. 22, 2014**

(54) **PLUG-IN LOAD CONTROL DEVICE**

(75) Inventors: **Erica L. Clymer**, Nazareth, PA (US);
Susan Hakkarainen, Doylestown, PA
(US); **Joel S. Spira**, Coopersburg, PA
(US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/429,621**

(22) Filed: **Aug. 14, 2012**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/164**

(58) **Field of Classification Search**

USPC D13/123, 137.3, 138.1, 158, 162, 164,
D13/171, 174; D26/26; 200/5 R, 5 A, 51 R,
200/52 R, 520, 530, 293, 296, 302.2, 308,
200/310, 314, 329, 331, 341; 307/115, 116,
307/139, 140, 157; 315/209 R, 224, 246,
315/291, 294, 295, 362

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,868 S 6/1989 Schwartz
D310,063 S * 8/1990 Cheng D13/137.3

(Continued)

OTHER PUBLICATIONS

Crestron, "CLW-LDIMEX Series Wireless Lamp Dimmer Operations Guide", Crestron Electronics, Inc., www.crestron.com, Feb. 2010, 2 pages.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Condo Roccia Koptiw LLP

(57) **CLAIM**

The ornamental design for a plug-in load control device, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a plug-in load control device according to a first embodiment of our new design.

FIG. 2 is a second perspective view of the embodiment depicted in FIG. 1.

FIG. 3 is a front view of the embodiment depicted in FIG. 1.

FIG. 4 is a left side view of the embodiment depicted in FIG. 1.

FIG. 5 is a right side view of the embodiment depicted in FIG. 1.

FIG. 6 is a top view of the embodiment depicted in FIG. 1.

FIG. 7 is a bottom view of the embodiment depicted in FIG. 1.

FIG. 8 is a first perspective view of a plug-in load control device according to a second embodiment of our new design.

FIG. 9 is a second perspective view of the embodiment depicted in FIG. 8.

FIG. 10 is a front view of the embodiment depicted in FIG. 8, the left side, right side, top, and bottom views, respectively, of the second embodiment depicted in FIG. 8 being identical to the left side, right side, top, and bottom views of the first embodiment depicted in FIG. 1.

FIG. 11 is a first perspective view of a plug-in load control device according to a third embodiment of our new design.

FIG. 12 is a second perspective view of the embodiment depicted in FIG. 11.

FIG. 13 is a front view of the embodiment depicted in FIG. 11, the left side, right side, top, and bottom views, respectively, of the third embodiment depicted in FIG. 11 being identical to the left side, right side, top, and bottom views of the first embodiment depicted in FIG. 1.



FIG. 14 is a first perspective view of a plug-in load control device according to a fourth embodiment of our new design.

FIG. 15 is a second perspective view of the embodiment depicted in FIG. 14; and,

FIG. 16 is a front view of the embodiment depicted in FIG. 14, the left side, right side, top, and bottom views, respectively, of the fourth embodiment depicted in FIG. 14, being identical to the left side, right side, top, and bottom views of the first embodiment depicted in FIG. 1.

The rear views form no part of the design and are omitted. The portions of the drawings appearing in broken line are for environment only and do not form a part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D320,786 S * 10/1991 Darnell et al. D13/171
 D323,488 S * 1/1992 Darnell et al. D13/162
 5,848,054 A * 12/1998 Mosebrook et al. 370/226
 D428,855 S * 8/2000 Mayo et al. D13/164
 D431,027 S * 9/2000 Armstrong D13/162
 D437,585 S 2/2001 Mayo et al.
 D439,220 S * 3/2001 Mayo et al. D13/125
 D450,043 S * 11/2001 Mosebrook D13/171
 D543,158 S 5/2007 Blair et al.
 D543,951 S * 6/2007 Blair et al. D13/162
 D570,298 S * 6/2008 Hewson et al. D13/162
 D592,607 S * 5/2009 Felegy et al. D13/168
 D592,611 S 5/2009 Altonen et al.
 D601,512 S * 10/2009 Valoz D13/164
 D606,030 S * 12/2009 Felegy et al. D13/171
 D606,500 S 12/2009 Snyder et al.
 D614,588 S 4/2010 Snyder et al.

D616,835 S * 6/2010 Felegy et al. D13/168
 D627,309 S * 11/2010 Snyder et al. D13/171
 D630,593 S 1/2011 Clymer et al.
 D631,856 S 2/2011 Altonen et al.
 D638,372 S 5/2011 Clymer et al.
 D646,640 S 10/2011 Clymer et al.
 D666,978 S * 9/2012 Felegy et al. D13/164
 2008/0303451 A1 * 12/2008 Mosebrook et al. 315/291
 2009/0251352 A1 * 10/2009 Altonen et al. 341/176
 2011/0147190 A1 * 6/2011 GaleWyrick et al. 200/5 B

OTHER PUBLICATIONS

Insteon, "LampLine Dimmer User's Guide", Smarhome, Inc., www.smarhome.com, © 2005, 1-21.
 Leviton, "vizia rf+ Plug-in Modules", Product Specifications, Leviton Mfg. Co., Inc, www.leviton.com, © 2008, 4 pages.
 Lutron, "GRX-12VDC Plug-In Class 2 Transformer", Grafik Eye, Specification Submittal, Apr. 27, 2004, 1 page.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16