



US00D703260S

(12) **United States Design Patent**
Yoo

(10) **Patent No.:** **US D703,260 S**
(45) **Date of Patent:** **** Apr. 22, 2014**

(54) **EYEGLASS COMPONENTS**

(71) Applicant: **Oakley, Inc.**, Foothill Ranch, CA (US)

(72) Inventor: **George Yoo**, Aliso Viejo, CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/471,286**

(22) Filed: **Oct. 30, 2013**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**

USPC **D16/335**

(58) **Field of Classification Search**

USPC D16/101, 300–342, 900; D29/109–110;
351/41, 44, 51–52, 62, 158, 92,
351/103–123, 140–153, 45–46; 2/426–432,
2/447–449, 441, 434–437, 13, 15;
D21/483, 659–661; D14/372

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D202,658 S	10/1965	Petitto
3,476,466 A	11/1969	Hopkins et al.
D369,375 S	4/1996	Jannard et al.
D401,607 S	11/1998	Miniutti
D402,305 S	12/1998	Tragatschnig
D420,036 S	2/2000	Yee et al.
D423,034 S	4/2000	Arnette
D424,598 S	5/2000	Simioni
D433,437 S	11/2000	Yee et al.
D450,745 S	11/2001	Thixton et al.
D464,669 S	10/2002	Thixton et al.
D469,458 S	1/2003	Baden et al.
D478,114 S	8/2003	Yee
D500,781 S	1/2005	Mage
D536,027 S	1/2007	Paulson
D536,363 S	2/2007	Miklitarian

D545,872 S	*	7/2007	Yee et al.	D16/326
D549,764 S		8/2007	Teng		
D555,187 S		11/2007	Yee		
D558,816 S		1/2008	Yee		
D561,813 S		2/2008	Baden et al.		
D567,843 S		4/2008	Miklitarian		
D571,392 S		6/2008	Miklitarian		
D572,747 S		7/2008	Baden et al.		
D577,759 S		9/2008	Yee		
D580,963 S		11/2008	Yee		
D581,447 S	*	11/2008	Yee	D16/315
D586,381 S		2/2009	Yee		
D599,838 S		9/2009	Rohrbach		

(Continued)

OTHER PUBLICATIONS

Oakley “Deringer”, <http://www.oakley.com/products/6671/24894>
(Feb. 11, 2012), in 6 pages.

(Continued)

Primary Examiner — Raphael Barkai
(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP


(57) **CLAIM**

The ornamental design for eyeglass components, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of eyeglass components showing an embodiment of my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in the Figures show portions of the eyeglass components which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D621,438 S 8/2010 Markovitz et al.
D629,444 S 12/2010 Akarra et al.
D639,182 S 6/2011 Nixon
D645,076 S 9/2011 Markovitz et al.
8,020,988 B2 9/2011 Ogren et al.
D650,825 S 12/2011 Yee et al.
D652,442 S 1/2012 Yee et al.
D654,947 S 2/2012 Shin et al.
D655,741 S 3/2012 Yee
D659,182 S 5/2012 Shin et al.

D662,124 S 6/2012 Shin
D662,125 S 6/2012 Yee
D662,536 S 6/2012 Shin
D662,967 S 7/2012 Shin
8,240,846 B2 8/2012 Ogren et al.
D676,480 S * 2/2013 Shin D16/335
D678,934 S * 3/2013 Yee D16/335

OTHER PUBLICATIONS

Oakley "Panel", <http://www.oakley.com/products/7150/27769> (Feb. 1, 2013), in 5 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6