



US00D703272S

(12) **United States Design Patent**  
**Tomlinson**

(10) **Patent No.:** **US D703,272 S**  
(45) **Date of Patent:** **\*\* Apr. 22, 2014**

(54) **PACKAGE FOR A CARD GAME USING INDIVIDUAL SCORING BOARDS AND A STORAGE CONTAINER FOR PEGS, PLACE FLAGS, AND CARDS**

8,011,503 B2 \* 9/2011 Hartman ..... 206/308.1  
8,070,166 B2 \* 12/2011 Nathanson ..... 273/287  
D667,738 S \* 9/2012 Tomlinson ..... D10/46.1

\* cited by examiner

(71) Applicant: **David Robert Tomlinson**, Wakefield, RI (US)

*Primary Examiner* — Prabhakar Deshmukh

(72) Inventor: **David Robert Tomlinson**, Wakefield, RI (US)

(57) **CLAIM**

The ornamental design for a package for a card game using individual scoring boards and a storage container for pegs, place flags, and cards, as shown and described.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/436,084**

(22) Filed: **Nov. 1, 2012**

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**

USPC ..... **D21/300**; D21/328; D10/46.1

(58) **Field of Classification Search**

USPC ..... D10/46, 46.1; D21/324, 329, 330, 333; 116/222–225; 463/29–35, 45, 47; 273/148 B, 236, 241, 247, 281, 287; 434/128, 308, 314; 224/918, 921; 235/90; 220/23.88, 23.89, 520, 521; 206/315.1, 315.5, 503, 516

See application file for complete search history.

FIG. 1 is a perspective view of a package for a card game using individual scoring boards and a storage container for pegs, place flags, and cards showing my new design; FIG. 2 is an exploded perspective view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a top plan view of a bottom base with scoring pegs, flags, playing cards, and rocket stored therein; FIG. 5 is a front elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a right side elevational view thereof; FIG. 8 is a left side elevational view thereof; FIG. 9 is a bottom plan view thereof; and, FIG. 10 is a perspective view of one of the individual scoring boards and shown in the environmental use.


The bottom base in FIG. 4 and an individual scoring board in FIG. 10, with elements stored within, are shown separately for clarity of illustration. The broken lines are for illustrative purpose only and form no part of the claimed design. It is understood that pegs in FIG. 10 can be placed in holes in any multiple numbers and combination.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D223,714 S \* 5/1972 Kester ..... D10/46.1  
3,724,852 A \* 4/1973 Payne, Jr. .... 273/247  
4,927,148 A \* 5/1990 Weiner ..... 273/148 R  
D322,638 S \* 12/1991 Levy et al. .... D21/393  
5,491,324 A \* 2/1996 Vanderpool ..... 235/90  
5,586,763 A \* 12/1996 De Bono et al. .... 273/285  
5,620,099 A \* 4/1997 Bickett et al. .... 206/579  
D521,397 S \* 5/2006 Willmarth ..... D10/46.1

**1 Claim, 8 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9






FIG. 10