



US00D703357S

(12) **United States Design Patent**  
**Grandadam**

(10) **Patent No.:** **US D703,357 S**

(45) **Date of Patent:** **\*\* Apr. 22, 2014**

(54) **FLASHLIGHT**

(71) Applicant: **Cody Duane Grandadam**, Granville, IL  
(US)

(72) Inventor: **Cody Duane Grandadam**, Granville, IL  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/438,924**

(22) Filed: **Dec. 5, 2012**

(51) **LOC (10) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/44**

(58) **Field of Classification Search**  
USPC ..... D26/37, 38, 41–45, 51, 61, 63  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,455 S *	4/1991	Krol	.....	D26/44
D323,717 S *	2/1992	Fung	.....	D26/44
D349,776 S *	8/1994	Yuen	.....	D26/44
D424,223 S *	5/2000	Fun	.....	D26/44
D445,932 S *	7/2001	Ceder	.....	D26/42
D448,874 S *	10/2001	Dalton et al.	.....	D26/42
D502,276 S *	2/2005	Kovacik et al.	.....	D26/44
D526,734 S *	8/2006	Brown	.....	D26/60
D527,129 S *	8/2006	Hodgson	.....	D26/42
D532,131 S *	11/2006	Thuma et al.	.....	D26/38
D543,301 S *	5/2007	Chen	.....	D26/42
D593,695 S *	6/2009	Levine	.....	D26/42
7,591,572 B1 *	9/2009	Levine	.....	362/427
D614,334 S *	4/2010	Thomson et al.	.....	D26/38
D618,831 S *	6/2010	Pennington	.....	D26/26
D622,879 S *	8/2010	Kotsis et al.	.....	D26/37
D630,355 S *	1/2011	Gulker	.....	D26/37

D645,179 S *	9/2011	Gulker	.....	D26/37
D656,647 S *	3/2012	Hodgson	.....	D26/44
D695,434 S *	12/2013	Shen	.....	D26/41

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Justin Lampel

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the flashlight;  
 FIG. 2 is a front plan view of the flashlight;  
 FIG. 3 is a back view of the flashlight;  
 FIG. 4 is a side view of the flashlight;  
 FIG. 5 is a top view of the flashlight;  
 FIG. 6 is a bottom view of the flashlight;  
 FIG. 7 is a perspective view of the flashlight wherein the flashlight is moved in a second orientation;  
 FIG. 8 is a front view of the flashlight in the second orientation;  
 FIG. 9 is a back view of the flashlight in the second orientation;  
 FIG. 10 is a side view of the flashlight in the second orientation;  
 FIG. 11 is a top view of the flashlight in the second orientation;  
 FIG. 12 is a bottom view of the flashlight in the second orientation; and,  
 FIG. 13 is a perspective view of the flashlight being moved from the first orientation to the second orientation.  
 The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 9 Drawing Sheets**





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12



FIG. 13