



US00D703371S

(12) **United States Design Patent**
Yu

(10) **Patent No.:** **US D703,371 S**
(45) **Date of Patent:** **** Apr. 22, 2014**

(54) **REFLECTION DEVICE**

(56) **References Cited**

(71) Applicant: **Ningbo Yinzhou Self Photoelectron Technology Co., Ltd., Zhejiang (CN)**

U.S. PATENT DOCUMENTS

(72) Inventor: **Feng Yu, Zhejiang (CN)**

3,500,036	A *	3/1970	Szentveri	362/152
3,663,808	A *	5/1972	Baatz	362/152
4,945,675	A *	8/1990	Kendrick	47/33
D373,432	S *	9/1996	Wu	D26/28
D385,982	S *	11/1997	Moore	D26/28
5,726,706	A *	3/1998	Walsh	348/151
D410,292	S *	5/1999	Mayle	D26/28
6,123,443	A *	9/2000	Conway	362/576
D443,939	S *	6/2001	Thomas	D26/28
D458,177	S *	6/2002	Spiller	D10/113.3
D483,888	S *	12/2003	Pokorny et al.	D26/28
D486,263	S *	2/2004	Grothe et al.	D26/118
D512,790	S *	12/2005	Handsaker et al.	D26/28
D520,156	S *	5/2006	Campagna	D26/28

(73) Assignee: **Ningbo Yinzhou Self Photoelectron Technology Co., Ltd., Ningbo (CN)**

(**) Term: **14 Years**

(21) Appl. No.: **29/458,932**

(22) Filed: **Jun. 24, 2013**

(Continued)

(30) **Foreign Application Priority Data**

Primary Examiner — Kevin Rudzinski

Feb. 1, 2013 (CN) 2013 3 0032714

(51) **LOC (10) Cl.** **26-99**

(57) **CLAIM**

The ornamental design for a reflection device, as shown and described.

(52) **U.S. Cl.**

USPC **D26/118**

DESCRIPTION

(58) **Field of Classification Search**


USPC D26/152, 113, 118, 119, 154, 61, 62, D26/65, 75, 16, 1, 2, 3, 120, 138, 128, 155, D26/76, 121, 124, 125, 123, 141, 142, 66, D26/68, 86, 71, 72, 77, 78, 151, 145, 74, 85, D26/89, 82, 84, 92, 87, 136, 63, 59, 58, 28, D26/88, 11, 9, 22, 81, 127, 129, 130, 131, D26/133, 134, 135, 55; D13/179, 180; 362/219, 223, 225, 347, 346, 373, 326, 362/283, 249.02, 362, 374, 375, 408, 327, 362/328, 404, 297, 147, 149, 249.03, 362/249.11; D23/377, 411, 413; D11/89, D11/90

FIG. 1 is a front perspective view of a reflection device of my new design;
FIG. 2 is a front view of the reflection device thereof;
FIG. 3 is a rear view of the reflection device thereof;
FIG. 4 is a left view of the reflection device thereof;
FIG. 5 is a right side view of the reflection device thereof;
FIG. 6 is a top side view of the reflection device thereof;
FIG. 7 is a bottom view of the reflection device thereof; and,
FIG. 8 is a rear perspective view of the reflection device thereof.

The broken lines shown in the drawings illustrate portions of the reflection device that form no part of the claimed design.

See application file for complete search history.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D555,440 S * 11/2007 Murray D8/1
7,347,606 B1 * 3/2008 Patten 362/565
D565,786 S * 4/2008 Willmorth et al. D26/138
D591,443 S * 4/2009 Beno et al. D26/88
D591,444 S * 4/2009 Beno et al. D26/88

D592,349 S * 5/2009 Maxik et al. D26/76
D606,229 S * 12/2009 Johansen et al. D26/80
D633,646 S * 3/2011 Marcaccio et al. D26/118
D634,054 S * 3/2011 Janssen D26/89
D645,984 S * 9/2011 Wang D26/1
D671,254 S * 11/2012 Miyatake et al. D26/75
D673,702 S * 1/2013 Davies D26/28
D674,125 S * 1/2013 Davies D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8