



US00D703690S

(12) **United States Design Patent**
MacCubbin et al.

(10) **Patent No.:** **US D703,690 S**
(45) **Date of Patent:** **** Apr. 29, 2014**

(54) **DISPLAY WINDOW WITH LEVEL OF SERVICE GRAPHICAL USER INTERFACE**

(75) Inventors: **James Andrew MacCubbin**, South Jordan, UT (US); **Handy Patriawan**, Madison, WI (US)

(73) Assignee: **Epic Systems Corporation**, Verona, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/388,302**

(22) Filed: **Mar. 28, 2011**

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/488**

(58) **Field of Classification Search**
USPC D14/485-495, 341, 327; 715/772, 856, 715/839, 809, 771, 719, 764, 227, 804; 707/792, 769, 706; 705/310

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D500,048 S *	12/2004	Hurley et al.	D14/486
6,870,469 B2 *	3/2005	Ueda	340/438
D519,517 S *	4/2006	Reynolds et al.	D14/486
D528,557 S *	9/2006	Aoki	D14/486
D550,228 S *	9/2007	Bandman et al.	D14/486
D578,134 S *	10/2008	Jasinski	D14/486
D607,467 S *	1/2010	Westermair	D14/486
D615,099 S *	5/2010	Barcheck et al.	D14/492

(Continued)

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Bell & Manning, LLC

(57) **CLAIM**

I claim the ornamental design for a display window with level of service graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a first front view of a first embodiment of a display window with level of service graphical user interface provid-

ing an indicator of a level of service for presentation on a display screen of a computing and/or communications device;

FIG. 2 is a second front view of the first embodiment of the display window with level of service graphical user interface of FIG. 1;

FIG. 3 is a third front view of the first embodiment of the display window with level of service graphical user interface of FIG. 1;

FIG. 4 is a fourth front view of the first embodiment of the display window with level of service graphical user interface of FIG. 1;

FIG. 5 is a fifth front view of the first embodiment of the display window with level of service graphical user interface of FIG. 1;

FIG. 6 is a sixth front view of the first embodiment of the display window with level of service graphical user interface of FIG. 1;

FIG. 7 is a first front view of a second embodiment of a display window with level of service graphical user interface providing an indicator of a level of service for presentation on a display screen of a computing and/or communications device;

FIG. 8 is a second front view of the second embodiment of the display window with level of service graphical user interface of FIG. 7;


FIG. 9 is a third front view of the second embodiment of the display window with level of service graphical user interface of FIG. 7;

FIG. 10 is a fourth front view of the second embodiment of the display window with level of service graphical user interface of FIG. 7; and,

FIG. 11 is a fifth front view of the second embodiment of the display window with level of service graphical user interface of FIG. 7.

The broken lines used for text, icons, and the display window with level of service graphical user interface in FIGS. 1-11 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D645,051 S * 9/2011 Kozlowski et al. D14/487
D652,048 S * 1/2012 Joseph D14/485
D656,946 S * 4/2012 Judy et al. D14/486

D667,022 S * 9/2012 LoBosco et al. D14/486
D667,841 S * 9/2012 Rai et al. D14/488
D674,812 S * 1/2013 Joseph D14/486
D685,814 S * 7/2013 Bork et al. D14/486
2012/0019559 A1* 1/2012 Siler et al. 345/634

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11