



US00D703726S

(12) **United States Design Patent**
Heinrich

(10) **Patent No.:** **US D703,726 S**

(45) **Date of Patent:** **** Apr. 29, 2014**

(54) **WEARABLE DISPLAY DEVICE**

(75) Inventor: **Mitchell Joseph Heinrich**, San Francisco, CA (US)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/404,664**

(22) Filed: **Oct. 24, 2011**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/309**; D14/372

(58) **Field of Classification Search**
USPC D16/101, 300–342, 900; D29/109–110;
D24/110.2; 351/41, 44, 51–52, 62,
351/158, 92, 103–111, 111–123, 140, 153,
351/45–46; 2/426–432, 447–449, 441,
2/434–437, 13, 15; D21/483, 659–661;
D14/372

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|----------------|---------|
| 3,944,344 | A | 3/1976 | Wichers | |
| 4,867,551 | A * | 9/1989 | Perera | 351/158 |
| D327,079 | S | 6/1992 | Allen | |
| D334,557 | S | 4/1993 | Hunter et al. | |
| D337,320 | S | 7/1993 | Hunter et al. | |
| D354,969 | S * | 1/1995 | Garcia | D16/309 |
| D354,974 | S | 1/1995 | Wielhouwer | |
| D366,888 | S * | 2/1996 | Locquiao | D16/309 |
| D402,651 | S | 12/1998 | Depay et al. | |
| D428,620 | S | 7/2000 | Maturaporn | |
| D436,960 | S * | 1/2001 | Budd et al. | D14/372 |
| D512,985 | S | 12/2005 | Travers et al. | |
| D533,893 | S | 12/2006 | Canavan et al. | |
| D537,078 | S * | 2/2007 | Tanaka et al. | D14/372 |

(Continued)

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Lerner, David, Littenberg, Krumholz & Mentlik, LLP


(57) **CLAIM**

The ornamental design for a wearable display device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a wearable display device according to our design in first configuration;
 FIG. 2 is a front elevation view of the wearable display device of FIG. 1;
 FIG. 3 is a back elevation view of the wearable display device of FIG. 1;
 FIG. 4 is a right elevation view of the wearable display device of FIG. 1;
 FIG. 5 is a left elevation view of the wearable display device of FIG. 1;
 FIG. 6 is a top elevation view of the wearable display device of FIG. 1;
 FIG. 7 is a bottom elevation view of the wearable display device of FIG. 1;
 FIG. 8 is a front perspective view of the wearable display device according to the embodiment of FIG. 1 in a second configuration;
 FIG. 9 is a right elevation view of the wearable display device of FIG. 8;
 FIG. 10 is a front perspective view of the wearable display device according to the embodiment of FIG. 1 in a third configuration;
 FIG. 11 is a right elevation view of the wearable display device of FIG. 10;
 FIG. 12 is a right elevation view of the wearable display device according to the embodiment of FIG. 1 in a fourth configuration; and,
 FIG. 13 is a right elevation view of the wearable display device according to the embodiment of FIG. 1 in a fifth configuration.
 Broken lines are environmental only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D559,250 S * 1/2008 Pombo D14/372
D565,082 S * 3/2008 McClure et al. D16/309
D578,120 S 10/2008 Lowe et al.
D602,064 S 10/2009 Mitsui et al.

7,631,968 B1 12/2009 Dobson et al.
D647,123 S 10/2011 Cho
8,029,132 B1 10/2011 Park
D649,177 S 11/2011 Cho et al.
D666,237 S * 8/2012 Olsson et al. D16/309
D669,066 S * 10/2012 Olsson et al. D14/309
D671,589 S * 11/2012 Olsson D16/300

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13