



US00D703835S

(12) **United States Design Patent**
Schober et al.

(10) **Patent No.:** **US D703,835 S**

(45) **Date of Patent:** **** Apr. 29, 2014**

(54) **ARCHITECTURAL PANEL WITH BAMBOO RINGS LIGHT DENSITY EMBOSSED SURFACE**

(71) Applicants: **Dennis Schober**, Bellevue, WA (US);
Todd Darrow, Edmonds, WA (US);
Patrick Williams, Issaquah, WA (US)

(72) Inventors: **Dennis Schober**, Bellevue, WA (US);
Todd Darrow, Edmonds, WA (US);
Patrick Williams, Issaquah, WA (US)

(73) Assignee: **Lumicor, Inc.**, Renton, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,619**

(22) Filed: **Jul. 25, 2013**

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/105; D25/111**

(58) **Field of Classification Search**
USPC D25/48.3, 48.7, 48.8, 103-111, 138,
D25/149, 155-157, 163; D6/306, 332;
52/204.59; D26/118-122; 428/13, 38,
428/49; 312/138.1; D5/6, 16, 19, 23, 24,
D5/37, 39, 58, 60, 62, 66; D11/139, 151;
264/261

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D18,286 S *	5/1888	Jackson	D25/103
D22,980 S *	12/1893	Jacobs	D25/103
D27,344 S *	7/1897	Basquin	D25/109
D30,964 S *	6/1899	Schmitt	D25/103
D34,239 S *	3/1901	Martin	D25/103
D56,344 S *	10/1920	Dixon	D25/106
D69,835 S *	4/1926	Jacklin	D25/103
D76,137 S *	8/1928	Jacklin	D25/103
D84,923 S *	8/1931	Crawford	D25/103
D103,817 S *	3/1937	Fitzgerald	D25/155
D187,102 S *	1/1960	McCobb	D25/103

D187,494 S *	3/1960	Blum	D25/155
D193,808 S *	10/1962	Hallock	D25/142
D194,675 S *	2/1963	Vogel	D25/163
D196,359 S *	9/1963	Rushton	D25/55
D202,175 S *	9/1965	Blau et al.	D25/48.3
D220,806 S *	5/1971	Carroll	D26/122
D222,102 S *	9/1971	Schwartz et al.	D26/122
D222,629 S *	11/1971	Hassell	D26/122
D226,625 S *	4/1973	Lewin	D26/122
D254,393 S *	3/1980	Cone	D25/48.8
D257,407 S *	10/1980	Maahsen	D25/111
D451,610 S *	12/2001	Saalburg	D25/106
D489,142 S *	4/2004	Froech	D25/157

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Janice Hallmark

(57) **CLAIM**

We claim the ornamental design for an architectural panel with bamboo rings light density embossed surface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an architectural panel with bamboo rings light density embossed surface, showing our new design

FIG. 2 is a front view of the architectural panel with bamboo rings light density embossed surface.

FIG. 3 is a back view of the architectural panel with bamboo rings light density embossed surface.

FIG. 4 is a left side view of the architectural panel with bamboo rings light density embossed surface.



FIG. 5 is a right side view of the architectural panel with bamboo rings light density embossed surface.

FIG. 6 is a top view of the architectural panel with bamboo rings light density embossed surface; and,

FIG. 7 is a bottom view of the architectural panel with bamboo rings light density embossed surface.

The broken lines adjacent to the shaded portions of the design depict the bounds of the claim and all other broken lines depict environmental subject matter. All broken lines form no part of the claim.

1 Claim, 4 Drawing Sheets



US D703,835 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D564,104 S * 3/2008 Savinel et al. D25/103
D584,849 S * 1/2009 Otero D26/88
D626,282 S * 10/2010 Sabernig D26/120
D631,187 S * 1/2011 Blum et al. D26/120

D631,599 S * 1/2011 Blum et al. D26/120
D632,405 S * 2/2011 Metcalf D25/138
D643,149 S * 8/2011 Sabernig D26/120
D644,750 S * 9/2011 McMaster D25/138
2008/0041849 A1* 2/2008 Wang 220/4.28

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7