



US00D703851S

(12) **United States Design Patent**  
**Gebhard et al.**

(10) **Patent No.:** **US D703,851 S**  
(45) **Date of Patent:** **\*\* Apr. 29, 2014**

(54) **SEARCHLIGHT**

(75) Inventors: **Albert W. Gebhard**, Denver, CO (US);  
**Gerald L. Gohl**, Culbertson, NE (US);  
**Colton D. Hosick**, Culbertson, NE (US)

(73) Assignee: **Golight Inc.**, Culbertson, NE (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/427,095**

(22) Filed: **Jul. 13, 2012**

(51) **LOC (10) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/48**; D26/44; D26/63

(58) **Field of Classification Search**  
USPC ..... D26/37, 38, 39, 41, 46, 50, 51, 48, 28,  
D26/63; 362/157, 158, 183, 184, 194-196,  
362/202, 201, 207, 208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,936,670	A	2/1976	Allen, Sr.
D239,315	S	3/1976	Satoh et al.
4,225,906	A	9/1980	Gulliksen et al.
4,323,953	A	4/1982	Hutchison
D269,464	S	6/1983	Caroli
4,573,107	A	2/1986	Stock et al.
D320,462	S	10/1991	Williams et al.
D322,136	S	12/1991	Shima et al.
D327,953	S	7/1992	Jordan
D347,704	S	6/1994	Thompson et al.
D351,243	S	10/1994	Williams et al.
5,385,062	A	1/1995	Menke
5,490,046	A	2/1996	Gohl et al.
5,499,167	A	3/1996	Brown
5,673,989	A	10/1997	Gohl et al.
5,697,691	A	12/1997	Menke
5,806,956	A	9/1998	Hyun-Jo

6,461,009	B2	10/2002	Smith
6,499,867	B1	12/2002	Neal
6,558,029	B2	5/2003	Spring, Jr.
6,789,912	B2	9/2004	Smith
6,955,447	B2	10/2005	Lui
D515,228	S	2/2006	Gebhard et al.
D528,678	S *	9/2006	Yen ..... D26/28
D552,781	S *	10/2007	Kosche et al. .... D26/63
D556,353	S	11/2007	Gebhard et al.
D573,285	S	7/2008	Zettl
D573,286	S *	7/2008	Zettl ..... D26/63
D574,102	S *	7/2008	Quiogue et al. .... D26/63

(Continued)

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/424,610, filed Jun. 13, 2012; First Named Inventor:  
Colton D. Hosick.

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Margaret Polson; Oppedahl  
Patent Law Firm LLC

(57) **CLAIM**

The ornamental design for a searchlight, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a front perspective view of our new design for a  
searchlight.

FIG. 2 is a front elevation view of in FIG. 1.

FIG. 3 is a back elevation view of FIG. 1.

FIG. 4 is a left side elevation view FIG. 1


FIG. 5 is a right side elevation view of FIG. 1.

FIG. 6 is a top plan view of FIG. 1; and,

FIG. 7 is a bottom plan view of FIG. 1.

The features shown in broken lines in the drawing depict  
environmental subject matter only and form no part of the  
claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D582,084 S 12/2008 Gebhard et al.  
D597,237 S \* 7/2009 Kumthampinij et al. .... D26/61  
D597,693 S 8/2009 Kauffman  
D606,691 S 12/2009 Lindholm  
7,638,970 B1 12/2009 Gebhard et al.  
D625,870 S 10/2010 Feigenbaum  
7,862,197 B2 1/2011 Gebhard

D641,905 S 7/2011 Janssen  
D645,594 S 9/2011 Grawe  
D646,822 S \* 10/2011 Johannessen et al. .... D26/63  
D650,505 S 12/2011 Oka  
D661,420 S \* 6/2012 Liang ..... D26/63  
D666,346 S 8/2012 Gebhard et al.  
D674,949 S 1/2013 Georgitsis et al.  
D693,509 S \* 11/2013 Hosick et al. .... D26/63  
2004/0037064 A1 2/2004 Johnson

\* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG.7