



US00D704067S

(12) **United States Design Patent**
Scott et al.

(10) **Patent No.:** **US D704,067 S**
(45) **Date of Patent:** **** May 6, 2014**

(54) **BOTTLE WITH CAP**

(56)

References Cited

(71) Applicant: **The Procter & Gamble Company,**
Cincinnati, OH (US)

(72) Inventors: **Paul Robert Scott,** Berkshire (GB);
Peter Karl Patzak, Darmstadt (DE)

(73) Assignee: **The Procter & Gamble Company,**
Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,608**

(22) Filed: **Sep. 10, 2013**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|---------------------|-------|----------|
| D204,710 S * | 5/1966 | Roberts | | D9/542 |
| D212,278 S | 9/1968 | Weckman | | |
| D236,801 S * | 9/1975 | Waring | | D9/563 |
| D237,358 S | 10/1975 | Blank | | |
| D238,555 S | 1/1976 | Blank | | |
| D238,854 S | 2/1976 | Britt | | |
| D247,093 S * | 1/1978 | Torongo et al. | | D9/550 X |
| D255,652 S * | 7/1980 | Kretz | | D9/542 |
| D257,504 S | 11/1980 | Weckman | | |
| D259,022 S | 4/1981 | Weckman | | |
| D259,181 S | 5/1981 | Saenz | | |
| D260,238 S * | 8/1981 | Costa | | D9/542 |
| D282,640 S | 2/1986 | Beaver et al. | | |
| D336,614 S * | 6/1993 | Crawford | | D9/529 |
| 5,542,585 A | 8/1996 | Peters et al. | | |
| D373,727 S | 9/1996 | Lowry | | |
| D409,921 S * | 5/1999 | Jones et al. | | D9/558 |
| D433,623 S | 11/2000 | Crawford | | |
| D469,022 S | 1/2003 | Kuzma et al. | | |
| D497,810 S * | 11/2004 | Maus | | D9/564 X |
| D498,145 S * | 11/2004 | McLeish | | D9/574 X |
| D510,033 S * | 9/2005 | McLeish | | D9/564 X |
| D512,643 S * | 12/2005 | Busa et al. | | D9/551 X |
| D527,645 S * | 9/2006 | Pedmo et al. | | D9/564 X |
| D533,069 S * | 12/2006 | Archeny | | D9/550 X |
| D536,619 S * | 2/2007 | Heisner | | D9/541 |
| D539,144 S | 3/2007 | Penfold et al. | | |
| D545,210 S * | 6/2007 | Armstrong et al. | | D9/574 X |
| D545,211 S | 6/2007 | Armstrong et al. | | |
| D554,995 S | 11/2007 | Saint-Ignan et al. | | |
| D565,422 S * | 4/2008 | Cowan-Hughes et al. | | D9/563 |
| D580,264 S | 11/2008 | Szasz | | |
| D584,635 S * | 1/2009 | Montgomery | | D9/571 |
| D587,594 S | 3/2009 | Crawford | | |
| D601,907 S | 10/2009 | Gainey et al. | | |
| D610,456 S | 2/2010 | Rognard | | |
| D632,176 S * | 2/2011 | McKinney et al. | | D9/543 X |
| D632,958 S * | 2/2011 | Fuchs | | D9/453 |
| D636,673 S * | 4/2011 | Lohrman et al. | | D9/449 |
| D646,175 S | 10/2011 | Davis et al. | | |
| D646,176 S | 10/2011 | Davis et al. | | |
| D646,575 S | 10/2011 | Davis et al. | | |
| D646,576 S | 10/2011 | Davis et al. | | |
| D649,060 S * | 11/2011 | Wheaton et al. | | D9/571 X |
| D654,371 S | 2/2012 | Geeraert et al. | | |
| D659,000 S * | 5/2012 | Kim et al. | | D9/516 |
| D660,167 S | 5/2012 | Weaver et al. | | |
| D660,713 S * | 5/2012 | Weaver et al. | | D9/563 X |
| D662,828 S | 7/2012 | Jackson et al. | | |

Related U.S. Application Data

(62) Division of application No. 29/445,422, filed on Feb. 12, 2013, now Pat. No. Des. 692,307, which is a division of application No. 29/390,575, filed on Apr. 27, 2011, now Pat. No. Des. 679,193.

Foreign Application Priority Data

Oct. 29, 2010 (WO) 571069101
Mar. 21, 2011 (WO) 593545401


(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/542; D9/563; D9/564; D9/571;**
D9/574; D9/449; D9/453

(58) **Field of Classification Search**

USPC D9/516, 529, 530, 542-543, 549,
D9/550-551, 558, 563-564, 571, 574-575,
D9/447, 449-450, 453-454; 215/381-384;
220/660, 662, 669, 675

See application file for complete search history.



| | | | |
|-----------------|---------|---------------------|----------|
| D664,434 S | 7/2012 | Kim et al. | |
| D664,441 S * | 7/2012 | Schultz et al. | D9/563 |
| D669,789 S | 10/2012 | Jackson et al. | |
| D672,247 S | 12/2012 | Kreider et al. | |
| D679,193 S * | 4/2013 | Scott et al. | D9/571 X |
| D693,689 S * | 11/2013 | Kim et al. | D9/516 |
| 2012/0097714 A1 | 4/2012 | Hoefte et al. | |

FOREIGN PATENT DOCUMENTS

| | | |
|----|------------|---------|
| WO | DM/074 807 | 10/2010 |
| WO | DM/074 808 | 10/2010 |
| WO | DM/074 809 | 10/2010 |
| WO | DM/074 810 | 10/2010 |

* cited by examiner

Primary Examiner — Carol P Rademaker
 (74) *Attorney, Agent, or Firm* — John T. Dipre; Steven W. Miller

(57) **CLAIM**
 The ornamental design for a bottle with cap, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side isometric view of a first embodiment of a bottle with cap embodying the new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a right side front elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a back elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a top, front, left side isometric view of a second embodiment of the bottle with cap embodying the new design;

FIG. 9 is a left side elevational view thereof;
 FIG. 10 is a right side front elevational view thereof;
 FIG. 11 is a front elevational view thereof;
 FIG. 12 is a back elevational view thereof;
 FIG. 13 is a top plan view thereof;
 FIG. 14 is a bottom plan view thereof;
 FIG. 15 is a top, front, left side isometric view of a third embodiment of the bottle with cap embodying the new design;
 FIG. 16 is a left side elevational view thereof;
 FIG. 17 is a right side front elevational view thereof;
 FIG. 18 is a front elevational view thereof;
 FIG. 19 is a back elevational view thereof;
 FIG. 20 is a top plan view thereof;
 FIG. 21 is a bottom plan view thereof;
 FIG. 22 is a top, front, left side isometric view of a fourth embodiment of the bottle with cap embodying the new design;
 FIG. 23 is a left side elevational view thereof;
 FIG. 24 is a right side front elevational view thereof;
 FIG. 25 is a front elevational view thereof;
 FIG. 26 is a back elevational view thereof;
 FIG. 27 is a top plan view thereof; and,
 FIG. 28 is a bottom plan view thereof.

The dash-dash-dash-dash (- - -) broken lines shown in the drawing views are included for the purpose of illustrating environmental structure and form no part of the claimed design.

The dot-dash-dot-dash (· - · - · -) broken line shown in the drawing views defines the bottom boundary of the claimed design and forms no part thereof.

1 Claim, 20 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26




FIG. 27




FIG. 28