

US00D704138S

(12) **United States Design Patent**
Popper et al.

(10) **Patent No.:** **US D704,138 S**

(45) **Date of Patent:** **** May 6, 2014**

(54) **TAIL CAP CHARGING CONVERTER**

(71) Applicant: **XGlow P/T, LLC**, Scottsdale, AZ (US)

(72) Inventors: **Richard S. Popper**, Scottsdale, AZ (US); **Jensen Jorgensen**, Scottsdale, AZ (US)

(73) Assignee: **XGlow P/T, LLC**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/453,689**

(22) Filed: **May 1, 2013**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC D13/103, 107, 119, 120, 133, 147, 146, D13/154, 184, 199, 151; 439/578, 579, 580, 439/581, 582, 583, 584, 585; 320/107; D26/118
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,373,801 A	4/1921	Deems	
3,969,148 A	7/1976	Trattner	
4,265,984 A	5/1981	Kaye	
4,357,648 A	11/1982	Nelson	
4,360,574 A	11/1982	Park	
4,794,315 A	12/1988	Pederson et al.	
5,104,752 A	4/1992	Baughman et al.	
5,146,149 A	9/1992	Nilssen	
5,478,668 A	12/1995	Gozdz et al.	
5,528,472 A	6/1996	Maglica et al.	
D371,342 S *	7/1996	Lundback D13/151
6,880,951 B2	4/2005	Yoon	
6,945,666 B2	9/2005	Woolfson	
7,393,608 B2	7/2008	Cho	

7,459,666 B2	12/2008	Ford et al.	
7,540,624 B2	6/2009	Hull et al.	
7,562,997 B2	7/2009	Liu	
D600,210 S *	9/2009	Snyder et al. D13/151
7,608,366 B2	10/2009	Suzuki et al.	
7,635,197 B2	12/2009	Man	
D607,826 S *	1/2010	Shaw D13/151
D607,827 S *	1/2010	Shaw D13/151
D607,828 S *	1/2010	Shaw D13/151
D607,829 S *	1/2010	Shaw D13/151

(Continued)

FOREIGN PATENT DOCUMENTS

JP	2001-216950 A	8/2001
JP	2002-289168 A	10/2002
JP	2007-311167 A	11/2007

OTHER PUBLICATIONS

International Search Report and Written Opinion for PCT/US13/20893, mailed Apr. 30, 2013, in 10 pages.

Primary Examiner — Thomas Johannes
Assistant Examiner — Khawaja Anwar
(74) *Attorney, Agent, or Firm* — Stephen C. Beuerle; Procopio Cory Hargreaves & Savitch LLP


(57) **CLAIM**

The ornamental design for a tail cap charging converter, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a tail cap charging converter showing our new design; FIG. 2 is a front elevation view thereof; the rear elevation view, the right side elevation view, and the left side elevation view being mirror images thereto; FIG. 3 is a bottom plan view thereof; FIG. 4 is a top perspective view thereof; and, FIG. 5 is a bottom perspective view thereof.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D607,830 S *	1/2010	Shaw	D13/151	2003/0143455 A1	7/2003	Partington et al.
D608,294 S *	1/2010	Shaw	D13/151	2005/0271935 A1	12/2005	Fleming et al.
D610,989 S *	3/2010	Amidon	D13/133	2007/0139916 A1	6/2007	Vermillion et al.
D624,023 S *	9/2010	Rodrigues et al.	D13/154	2007/0253194 A1	11/2007	Sharrah et al.
7,850,332 B2	12/2010	Opolka			2008/0217078 A1	9/2008	Kobayashi et al.
D646,230 S *	10/2011	Natoli	D13/156	2009/0257223 A1	10/2009	Liu
2002/0122978 A1	9/2002	Setliff			2009/0297950 A1	12/2009	Zhao
					2010/0081046 A1	4/2010	Davis
					2012/0317770 A1	12/2012	Berger

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5