

(12) United States Design Patent (10) Patent No.: US D704,143 S Yoshisuji (45) Date of Patent: ** May 6, 2014

JP

JP

(54) ELECTRIC CONNECTOR

- (71) Applicant: Dai-Ichi Seiko Co., Ltd., Fushimi-ku (JP)
- (72) Inventor: Takashi Yoshisuji, Machida (JP)
- (73) Assignee: Dai-Ichi Seiko Co., Ltd., Fushimi-ku (JP)

FOREIGN PATENT DOCUMENTS

- D1233906 2/2005 D1233907 2/2005 (Continued) OTHER PUBLICATIONS
- U.S. Appl. No. 29/402,240, filed Sep. 22, 2011, Yoshisuji.

(Continued)

(**) Term: 14 Years

(21) Appl. No.: **29/457,234**

(22) Filed: Jun. 7, 2013

(30) Foreign Application Priority Data

- Mar. 31, 2011(JP)2011-007406Mar. 31, 2011(JP)2011-007407Jul. 15, 2011(JP)2011-016301Jul. 15, 2011(JP)2011-016304
- (52) U.S. Cl. USPC D13/147
- (58) Field of Classification Search
 USPC D13/147, 154, 184, 199; 439/79, 108, 439/180, 246, 374, 488, 527, 529, 530, 533, 439/540.1, 541.5, 607.01, 607.04, 607.05, 439/607.06, 607.17, 607.21, 607.23, 439/607.25, 607.34, 607.41, 607.53,

Primary Examiner — Daniel Bui

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM** The ornamental design for an electric connector, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an electric connector of the first embodiment showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a front, top, and right side perspective view thereof;
FIG. 7 is a front, bottom, and right side perspective view thereof;
FIG. 8 is a top plan view of an electric connector of the second embodiment showing my new design;

FIG. 9 is a front elevational view thereof;

439/620.06, 620.21, 620.31, 660, 668, 676, 439/680, 883, 891, 892, 894 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D502,143 S D502,686 S		Chiu et al. Chiu et al.
	(Continued)	

FIG. 10 is a bottom plan view thereof;
FIG. 11 is a rear elevational view thereof;
FIG. 12 is a right side elevational view thereof;
FIG. 13 is a front, top, and right side perspective view thereof;
and,
EIG. 14 is a front, bottom, and right side perspective view.

FIG. 14 is a front, bottom, and right side perspective view thereof.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets





US D704,143 S Page 2

(56)	Referen	ces Cited	OTHER PUBLICATIONS
	J.S. PATENT	DOCUMENTS	U.S. Appl. No. 29/402,237, filed Sep. 22, 2011, Yoshisuji.
D583,768	D530,674 S 10/2006 Ko D583,768 S 12/2008 Nakamura	Nakamura	U.S. Appl. No. 13/595,147, filed Aug. 27, 2012, Yoshisuji, et al.
D601,505 2012/0238125		Fukazawa et al. Yoshisuji et al.	U.S. Appl. No. 29/447,042, filed Feb. 28, 2013, Yoshisuji.
FOREIGN PATENT DOCUMENTS		NT DOCUMENTS	U.S. Appl. No. 29/454,279, filed May 8, 2013, Yoshisuji.
JP	D1233908	2/2005	U.S. Appl. No. 29/454,268, filed May 8, 2013, Yoshisuji.
JP	D1233909 D1233910	2/2005 2/2005	U.S. Appl. No. 29/457,234, filed Jun. 7, 2013, Yoshisuji.

D1233715 3/2005 JP

U.S. Appl. No. 29/457,252, filed Jun. 7, 2013, Yoshisuji.

U.S. Patent US D704,143 S May 6, 2014 Sheet 1 of 14



— Г ,____ LL

U.S. Patent May 6, 2014 Sheet 2 of 14 US D704,143 S



╝			
T	뀩		
¢	뀩		
Щ	┯	•	
	ᠴ		
┛			
┛		Ţ	
Ì		Ī	[
۴Å	.1		
ъ	-1	≱	
╉	_	╏	
┢	_		
		Ţ	
		1	ľ
T			•
F	귀		
Ľ		†	
¢		≱	
Д		I	[
		Ĩ	
F		┦	
F		7	
¢			
¢	-		
		Ţ	
נו		1	[
F			ľ
F	T	7	•
╡┏╬	-1.		
┫			
			ļ
		I	[
			ľ
19	H		
╡┏╡			
╡╺╪			•
И			
I VI	I I J		1





U.S. Patent May 6, 2014 Sheet 3 of 14 US D704,143 S







U.S. Patent May 6, 2014 Sheet 4 of 14 US D704,143 S

.





U.S. Patent May 6, 2014 Sheet 5 of 14 US D704,143 S







U.S. Patent US D704,143 S May 6, 2014 Sheet 6 of 14



S EIG.

U.S. Patent US D704,143 S May 6, 2014 Sheet 7 of 14



U.S. Patent May 6, 2014 Sheet 8 of 14 US D704,143 S







U.S. Patent May 6, 2014 Sheet 9 of 14 US D704,143 S



╢		
1		
		ľ
		ľ
		ľ
Ţ		l
Ţ		ľ
Ĭ		
Ţ		
Ţ		
Ţ		



|-----|

ĹĹ





U.S. Patent May 6, 2014 Sheet 10 of 14 US D704,143 S





U.S. Patent May 6, 2014 Sheet 11 of 14 US D704,143 S





U.S. Patent May 6, 2014 Sheet 12 of 14 US D704,143 S







U.S. Patent May 6, 2014 Sheet 13 of 14 US D704,143 S



FIG. 13

U.S. Patent May 6, 2014 Sheet 14 of 14 US D704,143 S



FIG. 14

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: D704,143 SAPPLICATION NO.: 29/457234DATED: May 6, 2014INVENTOR(S): Takashi Yoshisuji

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, Item (62), the Related U.S. Application Data has been omitted. Item (62) should read:

-- Related U.S. Application Data

(62) Division of application No. 29/402,872, filed on September 28, 2011 --





Michelle K. Lee

Michelle K. Lee Deputy Director of the United States Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : D704,143 S APPLICATION NO. DATED INVENTOR(S)

: 29/457234 : May 6, 2014 : Takashi Yoshisuji Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:



Item (73) Assignee should read as:

--Dai-Ichi Seiko Co., Ltd., Kyoto (JP)--





Michelle K. Lee

Michelle K. Lee Director of the United States Patent and Trademark Office