



US00D704353S

(12) **United States Design Patent**
Redwine

(10) **Patent No.:** **US D704,353 S**

(45) **Date of Patent:** **** May 6, 2014**

(54) **SOLID INDIVIDUAL COMPOSITE SHINGLE WITH A STEPPED BACK SURFACE**

(76) Inventor: **Dorce Thomas Redwine**, Cornelius, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/425,864**

(22) Filed: **Jun. 27, 2012**

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/139**

(58) **Field of Classification Search**
USPC D25/139; 52/519, 560
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

173,957	A *	2/1876	Inman	52/560
1,510,535	A	10/1924	Abraham		
1,785,830	A *	12/1930	Davis	83/870
2,032,083	A *	2/1936	Dudleston	52/545
2,194,659	A	3/1940	Howle, Sr.		
2,486,326	A	10/1949	Ronzone		
2,569,831	A *	10/1951	Ryall	156/254
2,601,833	A	7/1952	Olsen		
2,624,298	A	1/1953	Farren		
2,735,143	A	2/1956	Kearns		
4,301,633	A	11/1981	Neumann		
D274,947	S *	7/1984	Culpepper et al.	D25/139
5,711,126	A	1/1998	Wells		
5,939,169	A	8/1999	Bondoc et al.		
6,428,876	B1 *	8/2002	Peterman	428/172
6,530,189	B2	3/2003	Freshwater et al.		
6,936,329	B2	8/2005	Kiik et al.		
7,520,098	B1	4/2009	Martinique et al.		
7,563,478	B1	7/2009	Humphreys et al.		
8,136,322	B2	3/2012	Shadwell et al.		

* cited by examiner

Primary Examiner — Doris Clark

(74) *Attorney, Agent, or Firm* — Law Office of Karen Dana Oster LLC

(57) **CLAIM**

I claim the ornamental design for a solid individual composite shingle with a stepped back surface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first solid individual composite shingle with a stepped back surface including my new design, the shingle shown in use with a plurality of other shingles shown for environmental purposes only.

FIG. 2 is a front perspective view of the first solid individual composite shingle with a stepped back surface.

FIG. 3 is a back perspective view of the first solid individual composite shingle with a stepped back surface.

FIG. 4 is a front view of the first solid individual composite shingle with a stepped back surface.

FIG. 5 is a back view of the first solid individual composite shingle with a stepped back surface.

FIG. 6 is a top view of the first solid individual composite shingle with a stepped back surface.

FIG. 7 is a bottom view of the first solid individual composite shingle with a stepped back surface.

FIG. 8 is a side view of the first solid individual composite shingle with a stepped back surface, each of the side images of the first solid individual composite shingle with a stepped back surface being identical thereto.

FIG. 9 is a side perspective view of a second embodiment of a solid individual composite shingle with stepped back surface.

FIG. 10 is a back perspective view thereof.

FIG. 11 is a front view thereof.

FIG. 12 is a back view thereof.


FIG. 13 is a top view thereof.

FIG. 14 is a bottom view thereof; and,

FIG. 15 is a side view thereof, the opposite side is identical thereto.

The broken line depictions of the wood grain on at least the front surface are included for environmental purposes and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15