



US00D704368S

(12) **United States Design Patent**
Opolka

(10) **Patent No.:** **US D704,368 S**

(45) **Date of Patent:** **** May 6, 2014**

(54) **FLASHLIGHT**

(71) Applicant: **Rainer Opolka**, Solingen (DE)

(72) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibrueder Optoelectronics GmbH**,
Solingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/448,030**

(22) Filed: **Mar. 8, 2013**

Related U.S. Application Data

(62) Division of application No. 29/381,901, filed on Dec. 24, 2010, now Pat. No. Des. 681,248.

(30) **Foreign Application Priority Data**

Jun. 25, 2010 (EM) 001724253
Jun. 25, 2010 (EM) 001724444

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search**
USPC D26/37, 38, 46, 49; 362/157, 158, 183,
362/184, 194–196, 202–208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D308,109 S *	5/1990	Maglica et al.	D26/49
D371,214 S *	6/1996	Terry, Sr.	D26/49
D417,022 S *	11/1999	Chiu	D26/49
D455,511 S *	4/2002	Chang	D26/46
D495,442 S *	8/2004	Packard	D26/37
D501,055 S *	1/2005	Packard	D26/37
D504,529 S *	4/2005	Vickers et al.	D26/37
D512,525 S *	12/2005	Yang	D26/49
D523,981 S *	6/2006	Galli	D26/37

D530,439 S *	10/2006	Maglica	D26/49
D533,674 S *	12/2006	Julius et al.	D26/49
D551,366 S *	9/2007	Galli	D26/37
D563,007 S *	2/2008	Opolka	D26/49
D564,116 S *	3/2008	Linardos	D26/49
D576,757 S *	9/2008	Hesse et al.	D26/49
D582,592 S *	12/2008	Opolka	D26/49
D583,087 S *	12/2008	Opolka	D26/49
D629,940 S *	12/2010	Osterhout	D26/49
D641,901 S *	7/2011	Opolka	D26/49
D643,561 S *	8/2011	Maglica	D26/49
D675,358 S *	1/2013	Brands et al.	D26/49

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Andrew Wilford

(57) **CLAIM**



The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a bottom view of the invention;
 FIG. 2 is a top view of the invention;
 FIG. 3 is a side view of the invention, the other side being a mirror image thereof;
 FIG. 4 is a front end view of the invention;
 FIG. 5 is a rear end view of the invention;
 FIG. 6 is a bottom view of a second embodiment of the invention;
 FIG. 7 is a top view of the second embodiment of the invention;
 FIG. 8 is a side view of the second embodiment of the invention, the other side being a mirror image thereof;
 FIG. 9 is a front end view of the second embodiment of the invention; and,
 FIG. 10 is a rear end view of the second embodiment of the invention.

The broken line showing is for environmental purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

D681,248 S * 4/2013 Opolka D26/49
D683,877 S * 6/2013 Brands et al. D26/49

U.S. PATENT DOCUMENTS

D675,764 S * 2/2013 Boutet et al. D26/49 * cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10