



US00D704377S

(12) **United States Design Patent**
Schaak

(10) **Patent No.:** **US D704,377 S**

(45) **Date of Patent:** **** May 6, 2014**

(54) **ALIEN LAMP**

(71) Applicant: **Adesso Inc.**, New York, NY (US)

(72) Inventor: **Lee Schaak**, Dix Hills, NY (US)

(73) Assignee: **Adesso Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,420**

(22) Filed: **Feb. 22, 2013**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/155**

(58) **Field of Classification Search**
USPC D26/32, 34, 38, 39, 44, 61, 62, 63, 67,
D26/73, 93, 94, 98, 113, 138, 152, 154,
D26/155; 362/12, 18, 124, 269, 410, 411,
362/412, 413, 414, 418, 419, 427, 431
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,790,500	A *	1/1931	Fischer	248/160
D128,505	S *	7/1941	Simpson	D26/62
D283,360	S *	4/1986	Ansems	D26/61
4,843,530	A *	6/1989	Mori et al.	362/413
D369,429	S *	4/1996	Huang	D26/62
D370,077	S *	5/1996	Huang	D26/62
D565,782	S *	4/2008	Opolka	D26/62
D566,872	S *	4/2008	Michel	D26/62
D570,512	S *	6/2008	Smith	D26/63

* cited by examiner

Primary Examiner — Deanna L Pratt
Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**

The ornamental design for an alien lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an alien lamp showing my new design including a body and elongated narrow legs and additional features of elongated necks and bulb housings in broken lines; FIG. 2 is the view of FIG. 1, showing the same invention as FIG. 1 except the base in broken lines has a second configuration;

FIG. 3 is the front view of FIG. 1, showing the same invention as FIG. 1 with a single elongated neck and a first variation of a bulb housing in broken lines;

FIG. 4 is a rear view of FIG. 3;

FIG. 5 is a left-side view of FIG. 3, the right-side view being a mirror image thereof;

FIG. 6 is a top plan view of FIG. 3;

FIG. 7 is the front view of FIG. 1, now showing the same invention as FIG. 1 with a single elongated neck and a second variation of a bulb housing in broken lines;

FIG. 8 is a rear view of FIG. 7;

FIG. 9 is a left-side view of FIG. 7, the right-side view being a mirror image thereof;

FIG. 10 is a top plan view of FIG. 7;

FIG. 11 is the front view of FIG. 1, now showing the same invention as FIG. 1 with a forked elongated neck and a two bulb housings in broken lines;

FIG. 12 is a rear view of FIG. 11;


FIG. 13 is a left-side view of FIG. 11, the right-side view being a mirror image thereof;

FIG. 14 is a top plan view of FIG. 11; and,

FIG. 15 is a bottom plan view of FIG. 11.

The broken lines shown in the Figures of the control switch, the base, elongate neck(s) above the body, and shade, as well as their respective placement, size and configuration, illustrate the environment only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 10




Fig. 9




Fig. 11




Fig. 12




Fig. 14

Fig. 13




Fig. 15