



US00D704430S

(12) **United States Design Patent**
Olson, Jr.

(10) **Patent No.:** **US D704,430 S**

(45) **Date of Patent:** **** May 13, 2014**

(54) **KEY CHAIN FOB**

DESCRIPTION

(71) Applicant: **James Russel Olson, Jr.**, Birmingham, MI (US)
(72) Inventor: **James Russel Olson, Jr.**, Birmingham, MI (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/446,924**
(22) Filed: **Feb. 28, 2013**
(51) **LOC (10) Cl.** **03-01**
(52) **U.S. Cl.**
USPC **D3/211**
(58) **Field of Classification Search**
USPC D11/1-2, 14, 26-29, 89-92, 44, 48, 81, D11/99, 79; 63/26-28, 32; D3/207-212; D8/16, 38, 347, 348, 33; 70/456 B, 457, 70/458; 206/37.1; D21/576, 593, 594, D21/606, 609, 610, 611, 659, 660; D30/157; 54/83.1; D26/47, 51, 57
See application file for complete search history.

FIG. 1 is a pictorial view of a key chain fob according to the invention, with broken line depictions of a leg covering, a key chain, and functional details not forming a part of the invention.
FIG. 2 is a right side view of the key chain fob shown in FIG. 1
FIG. 3 is a left side view from the key chain fob shown FIGS. 1 and 2 with broken line depictions of a leg covering, a key chain, and functional details not forming a part of the invention.
FIG. 4 is a front view from the key chain fob shown in FIGS. 1-3 with broken line depictions of features shown in FIGS. 1-3 not forming a part of the invention.
FIG. 5 is a rear view from the key chain fob shown in FIGS. 1-3 with broken line depictions of features shown in FIGS. 1-4 not forming a part of the invention.
FIG. 6 is a bottom view from the key chain fob shown in FIGS. 1-3 with broken line depictions of features shown in FIGS. 1-5 not forming a part of the invention.
FIG. 7 is top view from the key chain fob shown in FIGS. 1-3 with broken line depictions of features shown in FIGS. 1-6 not forming a part of the invention.
FIG. 8 is a pictorial view of the key chain fob according to the invention with the shoe and the key chain and other features shown in broken lines, not forming a part of the invention.
FIG. 9 is a right side view of the key chain fob shown in FIG. 8, with broken line depictions of features not forming a part of the invention.
FIG. 10 is a left side view of the key chain fob shown in FIGS. 8 and 9.
FIG. 11 is a front view of the key chain fob shown in FIGS. 8-10.
FIG. 12 is a rear view of the key chain fob shown in FIGS. 8-11.
FIG. 13 is a bottom view of the key chain fob shown in FIGS. 8-12; and,
FIG. 14 is a top view of the key chain fob shown in FIGS. 8-13.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D42,062 S * 12/1911 Roemer et al. D8/38
D42,306 S * 3/1912 Sommer D8/18
D44,945 S * 11/1913 Vaughan D8/18
D229,021 S * 11/1973 Brandow D8/18

(Continued)


Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — John R. Benefiel

(57) **CLAIM**

The ornamental design for a key chain fob, as shown and described.

1 Claim, 8 Drawing Sheets



US D704,430 S

Page 2

(56)

References Cited


U.S. PATENT DOCUMENTS

D353,239 S * 12/1994 Briscoe D32/42
D360,720 S * 7/1995 Drevo et al. D32/46

D383,651 S * 9/1997 Van Wyk D8/34
D400,326 S * 10/1998 Fisher D32/42
D571,627 S * 6/2008 Bouchard D8/38

* cited by examiner

FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7





FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12

FIG. 13




FIG. 14

