



US00D704534S

(12) **United States Design Patent**
Heirakuji et al.

(10) **Patent No.:** **US D704,534 S**

(45) **Date of Patent:** **** May 13, 2014**

(54) **COIL HOLDER**

(75) Inventors: **Russell John Kaaihue Heirakuji**,
Cupertino, CA (US); **Kevin Fenton**
Smeds, San Francisco, CA (US); **Frank**
Craig Thaler, Santa Cruz, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/431,510**

(22) Filed: **Sep. 7, 2012**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/356, 384, 367, 354, 349, 333;
248/227.2, 215, 231.81, 304, 309.1,
248/49, 68.1, 544, 73, 74.3; 160/349.2;
24/265 H, 265 R, 599.1, 599.8, 113 R,
24/573.5, 16 B, 545; 294/82.18, 82.35;
29/525.1, 45.3; 59/35.1, 86; 223/106;
403/24; 114/249; D13/155; D6/323;
174/153 G, 135, 72 A, 152 G; 5/503.1;
138/106; 52/144

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D138,739 S *	9/1944	Harris	D8/356
5,224,674 A *	7/1993	Simons	248/68.1
D407,963 S *	4/1999	Gretz et al.	D8/356
5,954,301 A *	9/1999	Joseph et al.	248/68.1
D416,471 S *	11/1999	Wurdack	D8/363

6,012,683 A *	1/2000	Howell	248/49
6,170,784 B1 *	1/2001	MacDonald et al.	248/65
6,318,680 B1 *	11/2001	Benedict et al.	248/49
D469,065 S *	1/2003	Pawluk et al.	D13/155
D495,588 S *	9/2004	Wurdack	D8/367
D550,540 S *	9/2007	Nawrocki	D8/354
D568,254 S *	5/2008	Patchett et al.	D13/155
D589,782 S *	4/2009	Rowell et al.	D8/356
D600,097 S *	9/2009	Erickson	D8/354
D632,547 S *	2/2011	Thompson	D8/356
D637,083 S *	5/2011	Delbon	D9/500

* cited by examiner

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.



(57) **CLAIM**

The ornamental design for a coil holder, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a coil holder showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a reference perspective view showing an environmental coil held by the coil holder.
The broken lines in the Figures show environment which forms no part of the claimed design. The oblique lines in the Figures show transparency and not surface ornamentation.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3

FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8