



US00D704572S

(12) **United States Design Patent**
Borg et al.

(10) **Patent No.:** **US D704,572 S**

(45) **Date of Patent:** **** May 13, 2014**

(54) **FOUR-RING BOTTLE CARRIER**

D238,146 S * 12/1975 Calvert D9/752
D238,249 S * 12/1975 Erickson D9/752
D238,657 S * 2/1976 Erickson D9/752
4,712,680 A * 12/1987 Panazzolo 206/427

(71) Applicant: **Oregon Precision Industries, Inc.**,
Eugene, OR (US)

(Continued)

(72) Inventors: **Zakary James Borg**, Eugene, OR (US);
Ronald Lee Mellor, Jr., Springfield, OR
(US)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Alleman Hall McCoy
Russell & Tuttle LLP

(73) Assignee: **Oregon Precision Industries, Inc.**,
Eugene, OR (US)

(57) **CLAIM**

The ornamental design for a four-ring bottle carrier, as shown
and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/448,996**

FIG. 1 is a top front perspective view of an ornamental design
for a four-ring bottle carrier according to the present inven-
tion.

(22) Filed: **Mar. 14, 2013**

FIG. 2 is a bottom rear perspective view of the four-ring bottle
carrier of FIG. 1.

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**

USPC **D9/752**

(58) **Field of Classification Search**

USPC D9/750, 751, 752, 753, 754, 455, 456;
D3/315; 206/150, 151, 159, 160, 161,
206/199, 821, 200, 145, 216, 164, 430, 503,
206/509, 427, 206; 294/87.2, 87.28, 159
See application file for complete search history.

FIG. 3 is a top view of the four-ring bottle carrier of FIG. 1.

FIG. 4 is a partial cutaway side view taken along line 4-4 in
FIG. 3, of the four-ring bottle carrier of FIG. 1.

FIG. 5 is a partial cutaway end view taken along line 5-5 in
FIG. 3, of the four-ring bottle carrier of FIG. 1.

FIG. 6 is a bottom view of the four-ring bottle carrier of FIG.
1.

FIG. 7 is a front side view of the four-ring bottle carrier of
FIG. 1, with dashed lines illustrating bottles secured in the
four-ring bottle carrier.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,865,669 A * 12/1958 Linthicum 294/87.2
D192,893 S * 5/1962 Brunsing D9/752
D194,199 S * 12/1962 Poupitch D9/752
D197,356 S * 1/1964 De Shazor, Jr. D9/752
D197,357 S * 1/1964 De Shazor, Jr. D9/752
D197,358 S * 1/1964 De Shazor, Jr. D9/752
D199,284 S * 9/1964 Petrone et al. D9/752
3,268,070 A * 8/1966 Cunningham 206/150
D237,465 S * 11/1975 Calvert D9/752
D237,466 S * 11/1975 Calvert D9/752
D237,589 S * 11/1975 Calvert D9/752


FIG. 8 is a back side view of the four-ring bottle carrier of
FIG. 1.

FIG. 9 is a left side view of the four-ring bottle carrier of FIG.
1; and,

FIG. 10 is a right side view of the four-ring bottle carrier of
FIG. 1.

The dashed lines in FIG. 7 illustrate environment in the form
of bottles secured in the four-ring bottle carrier, and form no
part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D294,331 S *	2/1988	Panazzolo	D9/752	D405,687 S *	2/1999	Borg	D9/752
4,823,959 A *	4/1989	Bixler	206/562	D408,277 S *	4/1999	Erickson	D9/752
D310,027 S *	8/1990	Bixler	D9/752	D412,663 S *	8/1999	Erickson	D9/752
D329,807 S *	9/1992	Heider	D9/752	D413,800 S *	9/1999	Caparros et al.	D9/752
5,188,413 A *	2/1993	Nathan	294/87.2	D502,406 S *	3/2005	Eddings	D9/752
D348,002 S *	6/1994	Jones	D3/316	D505,083 S *	5/2005	Tabeshnekoo	D9/752
D349,459 S *	8/1994	Borg	D9/455	7,588,275 B2 *	9/2009	Borg	294/87.2
D350,695 S *	9/1994	Adami et al.	D3/316	D628,348 S *	11/2010	Chao	D30/199
D354,227 S *	1/1995	Adami et al.	D9/752	7,823,943 B2 *	11/2010	Borg	294/87.2
D356,733 S *	3/1995	Adami et al.	D9/752	7,861,853 B2 *	1/2011	Borg	206/151
D360,362 S *	7/1995	Strong	D9/455	D653,560 S *	2/2012	Smithers	D9/752
					2005/0167289 A1 *	8/2005	Borg	206/151
					2007/0296231 A1 *	12/2007	Borg	294/87.2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9



FIG. 10