



US00D704593S

(12) **United States Design Patent**  
**Tamme**

(10) **Patent No.:** **US D704,593 S**

(45) **Date of Patent:** **\*\* May 13, 2014**

(54) **FASTENING DEVICE**

(75) Inventor: **Jaanus Tamme**, Tallinn (EE)

(73) Assignee: **Ropeye Ou**, Tallinn (EE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/413,317**

(22) Filed: **Feb. 14, 2012**

(51) **LOC (10) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D11/200**

(58) **Field of Classification Search**  
USPC ..... D11/1-2, 200-201, 206-210, 214-218,  
D11/222-226; 24/163 R, 169-171, 173,  
24/177-179, 191, 194-195, 197, 200,  
24/614-616, 625, 198, 572.1; 227/51, 55;  
D8/352, 356, 349

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,931,326 A \* 10/1933 Raible ..... 24/101 B  
D416,189 S \* 11/1999 Bollman ..... D8/382  
7,334,764 B2 \* 2/2008 Robert ..... 248/231.9

\* cited by examiner

*Primary Examiner* — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, PLLC

(57) **CLAIM**

The ornamental design for a fastening device, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side elevational view of a fastening device according to the invention, the right side elevational view being identical thereto.

FIG. 2 is front elevational view of the fastening device of FIG. 1, the rear elevational view being identical thereto.

FIG. 3 is a top plan view of the fastening device of FIG. 1.

FIG. 4 is a bottom plan view of the fastening device of FIG. 1; and,

FIG. 5 is a perspective view of the fastening device of FIG. 1.

**1 Claim, 5 Drawing Sheets**




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5

