



US00D704679S

(12) **United States Design Patent**
Asaka et al.

(10) **Patent No.:** **US D704,679 S**
(45) **Date of Patent:** **** May 13, 2014**

(54) **SPEAKER BOX**
(71) Applicant: **Sony Corporation**, Tokyo (JP)
(72) Inventors: **Satoshi Asaka**, Tokyo (JP); **Jun Uchiyama**, Tokyo (JP); **Takehiko Inoue**, Tokyo (JP)

D468,290 S 1/2003 Narita
D471,891 S 3/2003 Oikawa
D475,991 S 6/2003 Hisatsune
D485,255 S * 1/2004 Christiansen D14/207
D553,120 S 10/2007 Yano
D568,292 S 5/2008 Tsuge
D578,103 S 10/2008 Matsuoka

(Continued)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

JP D1225136 S 12/2001
JP D1285194 S 11/2006

(21) Appl. No.: **29/440,821**

Primary Examiner — Prabhakar Deshmukh

(22) Filed: **Dec. 27, 2012**

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Jul. 20, 2012 (CN) 2012 3 0327573

The ornamental design for a speaker box, as shown and described.

(51) **LOC (10) Cl.** **14-01**

DESCRIPTION

(52) **U.S. Cl.**

USPC **D14/221**; D14/209.1

(58) **Field of Classification Search**

USPC D14/204, 204.1, 210–216, 172;
181/143, 144, 147, 148, 150–153, 157,
181/198, 199; 381/300–306, 332, 333, 336,
381/345, 361–364

See application file for complete search history.

FIG. 1 is a perspective view of a first embodiment of a speaker box showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.
FIG. 7 is a perspective view of a second embodiment of a speaker box showing our new design;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a rear elevational view thereof;
FIG. 10 is a right side elevational view thereof;
FIG. 11 is a top plan view thereof; and
FIG. 12 is a bottom plan view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

2,973,824 A * 3/1961 Pinski 181/144
3,326,321 A * 6/1967 Valuch 181/144
D251,973 S 5/1979 Klopfer et al.
D264,075 S 4/1982 Levy
D347,224 S * 5/1994 Faas D14/193
D359,286 S * 6/1995 Fujino D14/212
D360,634 S * 7/1995 Alleva D14/211
D382,563 S 8/1997 Shiono
D403,680 S 1/1999 Gremchuck
D411,198 S 6/1999 Kawase
D465,777 S 11/2002 Hisatsune

Portions shown as broken lines are for illustrative purposes only and form no part of the claimed design. Dot-dash broken lines define the boundaries of, but not included in, the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D642,156 S *	7/2011	Joseph	D14/209.1	
D658,151 S *	4/2012	Joseph	D14/171	* cited by examiner
D677,244 S *	3/2013	Funayama	D14/209.1	
D683,330 S *	5/2013	Ryu et al.	D14/209.1	
D695,268 S *	12/2013	Holzer	D14/209.1	

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12

