



US00D704757S

(12) **United States Design Patent**
Nagai et al.

(10) **Patent No.:** **US D704,757 S**
(45) **Date of Patent:** **** May 13, 2014**

(54) **EXTRA FLEXIBLE WELD WIRE CONDUIT FOR INDUSTRIAL ROBOT**

(71) Applicant: **Panasonic Corporation**, Kadoma (JP)

(72) Inventors: **Takashi Nagai**, Hyogo (JP); **Wataru Takahashi**, Osaka (JP); **Kiyohito Maruo**, Osaka (JP); **Kazuya Kitayama**, Hyogo (JP); **Takayasu Ohara**, Hyogo (JP); **Eiji Honda**, Osaka (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/462,031**

(22) Filed: **Jul. 30, 2013**

(30) **Foreign Application Priority Data**

Feb. 27, 2013 (JP) 2013-004016

(51) **LOC (10) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**; D15/144

(58) **Field of Classification Search**
USPC D15/122, 144, 144.1, 14.2, 199;
74/490.01, 490.02, 490.03, 490.05;
198/367, 370.1, 370.04, 722, 771, 782,
198/866, 890, 890.1; 219/124.34, 639;
318/560; 414/744.1, 935, 936, 937,
414/938, 940; 700/150
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D196,048 S * 8/1963 Kolterman D15/144
D260,597 S * 9/1981 Mathuda D8/14.1

D274,182 S * 6/1984 Kato D15/199
4,518,307 A * 5/1985 Bloch 414/729
D287,135 S * 12/1986 Nagatani et al. D15/144
D290,263 S * 6/1987 Shibayama et al. D15/199
D293,116 S * 12/1987 Stackhouse et al. D15/199
D293,324 S * 12/1987 Gotou et al. D15/199
D294,589 S * 3/1988 Kajiya D15/144
D343,630 S * 1/1994 Tomiyama et al. D15/199
D455,163 S * 4/2002 Kawaguchi D15/199
D523,303 S * 6/2006 Amin D8/14.1
D600,261 S * 9/2009 Raineri D15/150
D625,347 S * 10/2010 Feng D15/199
D643,053 S * 8/2011 Langlois et al. D15/144
D678,376 S * 3/2013 Coleman D15/150

FOREIGN PATENT DOCUMENTS

JP D1119460 S 8/2001
JP D1386583 S 5/2010

* cited by examiner

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Brinks Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for an extra flexible weld wire conduit for industrial robot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an extra flexible weld wire conduit for industrial robot of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and
FIG. 7 is a bottom view thereof.
The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

