



US00D704880S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D704,880 S**

(45) **Date of Patent:** **\*\* May 13, 2014**

(54) **LIGHTED CHANDELIER**

(71) Applicant: **Quorum International, Inc.**, Fort Worth, TX (US)

(72) Inventor: **Aaron M. Johnson**, Albuquerque, NM (US)

(73) Assignee: **Quorum International, Inc.**, Fort Worth, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/470,351**

(22) Filed: **Nov. 5, 2013**

(51) **LOC (10) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/81**

(58) **Field of Classification Search**  
CPC ..... F21S 8/06; F21V 27/00; F21V 21/18  
USPC ..... D26/81-84, 86, 88, 90, 143, 144,  
D26/152-154; 362/147, 404-408, 431, 432  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D63,616 S *	12/1923	Crowell	.....	D26/81
D65,209 S *	7/1924	Wolter	.....	D26/144
D67,051 S *	4/1925	Rosenblatt	.....	D26/81
D69,601 S *	3/1926	Levy	.....	D26/144
D71,025 S *	9/1926	Krause	.....	D26/81
D72,452 S *	4/1927	Seidell	.....	D26/81
D72,511 S *	4/1927	Crumley	.....	D26/81
D73,242 S *	8/1927	Shapiro	.....	D26/81
D74,190 S *	1/1928	Rosenblatt	.....	D26/144
D79,254 S *	8/1929	Rosenblatt	.....	D26/144

D372,321 S *	7/1996	Hammar	.....	D26/84
D432,256 S *	10/2000	Dolan	.....	D26/84
D572,859 S *	7/2008	Brookins	.....	D26/81

**OTHER PUBLICATIONS**

Chandelier #17036/4 from the Sullivan Collection shown on p. 190 of the E.L.K. Lighting Inc. Catalog 2900. © 2009. (2 pages, includes rear cover of catalog).\*

6 lite pendant #14570-018 from the Seraphine Collection shown on p. 187 of the Eurofase Lighting Classics Catalog #MKT-CAT-CL09. © 2009. (2 pages, includes rear cover of catalog).\*

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Charles D. Gunter, Jr.

(57) **CLAIM**

The ornamental design for a lighted chandelier, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom, perspective view of the lighted chandelier of the invention;

FIG. 2 is a front, side view of the lighted chandelier of FIG. 1; FIG. 3 is a back, side view of the lighted chandelier fan of FIG. 1;

FIG. 4 is a right, side view of the lighted chandelier of the invention;

FIG. 5 is a left, side view of the lighted chandelier of the invention;

FIG. 6 is a top view of the lighted chandelier of the invention;

FIG. 7 is a bottom view of the lighted chandelier of the invention; and,

FIG. 8 is a top, perspective view of the lighted chandelier of the invention.

**1 Claim, 8 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8

