



US00D704904S

(12) **United States Design Patent**
Anderson et al.

(10) **Patent No.:** **US D704,904 S**

(45) **Date of Patent:** **** May 13, 2014**

- (54) **TRANSMITTER HOLDER**
- (71) Applicants: **Mark L. Anderson**, Spring Valley, WI (US); **Brian A. Dingman**, Spring Valley, WI (US)
- (72) Inventors: **Mark L. Anderson**, Spring Valley, WI (US); **Brian A. Dingman**, Spring Valley, WI (US)
- (73) Assignee: **Mark L. Anderson**, Spring Valley, WI (US)

- D655,627 S * 3/2012 Mehren et al. D9/732
- D655,628 S * 3/2012 Mehren et al. D9/732
- D657,098 S * 4/2012 So et al. D30/155
- D657,547 S * 4/2012 Koppel et al. D3/201
- D659,016 S * 5/2012 Kemner D9/716
- D659,017 S * 5/2012 Kemner D9/716
- D659,018 S * 5/2012 Kemner D9/716
- D659,304 S * 5/2012 Vatka et al. D30/155
- D665,952 S * 8/2012 Guo D30/152
- D666,367 S * 8/2012 Miller et al. D30/152
- D670,043 S * 10/2012 Goldman D30/155

(Continued)

(**) Term: **14 Years**

JP D1259762 * 3/2005

(21) Appl. No.: **29/432,763**

OTHER PUBLICATIONS

(22) Filed: **Sep. 20, 2012**

Radio transmitters for Livestock, no image post date information, site visited Dec. 13, 2013 [online], Copyright © 2013 Telenax, <http://www.telenax.com/en/index.php?option=com_k2&view=item&id=35:radio-transmitters-for-livestock&Itemid=144>.*

(51) **LOC (10) Cl.** **30-08**

(52) **U.S. Cl.**
USPC **D30/155**

(58) **Field of Classification Search**
USPC D3/199, 203.1, 203.2, 203.3, 203, 218, D3/227, 225, 230; D14/240, 365, 440, D14/435, 155, 356, 358; 206/528-540; D30/152, 155, 199; 40/300-304; 119/859; D9/732, 716
See application file for complete search history.

Primary Examiner — Deanna L Pratt
Assistant Examiner — Harold Blackwell, II
(74) *Attorney, Agent, or Firm* — Skinner and Associates

(57) **CLAIM**
The ornamental design for a transmitter holder, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

- D343,261 S * 1/1994 Eberhardt D30/155
- D358,475 S * 5/1995 Choksi et al. D3/227
- D377,713 S * 2/1997 Chandler D3/247
- D419,439 S * 1/2000 Markovsky et al. D9/415
- D507,756 S * 7/2005 Hall D9/761
- D533,715 S * 12/2006 Conway D3/206
- D596,305 S * 7/2009 Usui et al. D24/206
- D601,039 S * 9/2009 Duquet et al. D9/732
- D619,308 S * 7/2010 Roysky D30/152
- D655,624 S * 3/2012 Mehren et al. D9/732
- D655,625 S * 3/2012 Mehren et al. D9/732
- D655,626 S * 3/2012 Mehren et al. D9/732

FIG. 1 is a perspective view of a transmitter holder showing an embodiment of the design of this invention.
FIG. 2 is a top view thereof.
FIG. 3 is a bottom view thereof.
FIG. 4 is a front view thereof; and,
FIG. 5 is a side view thereof.
The design is for a transmitter holder which is used to contain an electronic transmitter and protect it from rain, snow or other moisture, and to attach the transmitter to the body of an animal, such as a cow.

1 Claim, 3 Drawing Sheets



US D704,904 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

8,334,234 B2 *	12/2012	Jones et al.	503/227
D691,254 S *	10/2013	Sanders	D23/366
D694,247 S *	11/2013	Besterman et al.	D14/444
D673,334 S *	12/2012	Guo	D30/152

* cited by examiner




FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5