



US00D704904S

(12) **United States Design Patent**
Anderson et al.

(10) **Patent No.:** **US D704,904 S**
(45) **Date of Patent:** **** May 13, 2014**

- (54) **TRANSMITTER HOLDER**
- (71) Applicants: **Mark L. Anderson**, Spring Valley, WI (US); **Brian A. Dingman**, Spring Valley, WI (US)
- (72) Inventors: **Mark L. Anderson**, Spring Valley, WI (US); **Brian A. Dingman**, Spring Valley, WI (US)
- (73) Assignee: **Mark L. Anderson**, Spring Valley, WI (US)

D655,627 S *	3/2012	Mehren et al.	D9/732
D655,628 S *	3/2012	Mehren et al.	D9/732
D657,098 S *	4/2012	So et al.	D30/155
D657,547 S *	4/2012	Koppel et al.	D3/201
D659,016 S *	5/2012	Kemner	D9/716
D659,017 S *	5/2012	Kemner	D9/716
D659,018 S *	5/2012	Kemner	D9/716
D659,304 S *	5/2012	Vatka et al.	D30/155
D665,952 S *	8/2012	Guo	D30/152
D666,367 S *	8/2012	Miller et al.	D30/152
D670,043 S *	10/2012	Goldman	D30/155

(Continued)

(**) Term: **14 Years**

JP D1259762 * 3/2005

(21) Appl. No.: **29/432,763**

OTHER PUBLICATIONS

(22) Filed: **Sep. 20, 2012**

Radio transmitters for Livestock, no image post date information, site visited Dec. 13, 2013 [online], Copyright © 2013 Telenax, <http://www.telenax.com/en/index.php?option=com_k2&view=item&id=35:radio-transmitters-for-livestock&Itemid=144>.*

(51) **LOC (10) Cl.** **30-08**

(52) **U.S. Cl.**
USPC **D30/155**

(58) **Field of Classification Search**
USPC D3/199, 203.1, 203.2, 203.3, 203, 218, D3/227, 225, 230; D14/240, 365, 440, D14/435, 155, 356, 358; 206/528-540; D30/152, 155, 199; 40/300-304; 119/859; D9/732, 716
See application file for complete search history.

Primary Examiner — Deanna L Pratt
Assistant Examiner — Harold Blackwell, II
(74) *Attorney, Agent, or Firm* — Skinner and Associates

(57) **CLAIM**
The ornamental design for a transmitter holder, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D343,261 S *	1/1994	Eberhardt	D30/155
D358,475 S *	5/1995	Choksi et al.	D3/227
D377,713 S *	2/1997	Chandler	D3/247
D419,439 S *	1/2000	Markovsky et al.	D9/415
D507,756 S *	7/2005	Hall	D9/761
D533,715 S *	12/2006	Conway	D3/206
D596,305 S *	7/2009	Usui et al.	D24/206
D601,039 S *	9/2009	Duquet et al.	D9/732
D619,308 S *	7/2010	Roysky	D30/152
D655,624 S *	3/2012	Mehren et al.	D9/732
D655,625 S *	3/2012	Mehren et al.	D9/732
D655,626 S *	3/2012	Mehren et al.	D9/732

FIG. 1 is a perspective view of a transmitter holder showing an embodiment of the design of this invention.
FIG. 2 is a top view thereof.
FIG. 3 is a bottom view thereof.
FIG. 4 is a front view thereof; and,
FIG. 5 is a side view thereof.
The design is for a transmitter holder which is used to contain an electronic transmitter and protect it from rain, snow or other moisture, and to attach the transmitter to the body of an animal, such as a cow.

1 Claim, 3 Drawing Sheets



US D704,904 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

8,334,234 B2 *	12/2012	Jones et al.	503/227
D691,254 S *	10/2013	Sanders	D23/366
D694,247 S *	11/2013	Besterman et al.	D14/444
D673,334 S *	12/2012	Guo	D30/152

* cited by examiner




FIG. 1




FIG. 3




FIG. 2




FIG. 4



FIG. 5