



US00D705067S

(12) **United States Design Patent**  
**Dubitsky et al.**

(10) **Patent No.:** **US D705,067 S**

(45) **Date of Patent:** **\*\* May 20, 2014**

(54) **BOTTLE**

(71) Applicants: **Craig Dubitsky**, Montclair, NJ (US);  
**Matthew E. Chrostowski**, Agoura Hills,  
CA (US); **Elisabeth Schwartz**, Munich  
(DE); **Peter Falt**, Thousand Oaks, CA  
(US); **Michael Murphy**, Evergreen Park,  
IL (US)

(72) Inventors: **Craig Dubitsky**, Montclair, NJ (US);  
**Matthew E. Chrostowski**, Agoura Hills,  
CA (US); **Elisabeth Schwartz**, Munich  
(DE); **Peter Falt**, Thousand Oaks, CA  
(US); **Michael Murphy**, Evergreen Park,  
IL (US)

(73) Assignee: **Hello Products, LLC**, Montclair, NJ  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/448,783**

(22) Filed: **Mar. 13, 2013**

(51) **LOC (10) Cl.** ..... **09-01**

(52) **U.S. Cl.**

USPC ..... **D9/504**; D9/444; D9/449; D9/454

(58) **Field of Classification Search**

USPC ..... D9/434-435, 454, 500, 502-505, 516,  
D9/529, 549, 558, 575, 447, 544-545,  
D9/444-445, 449; 215/379, 381-382;  
220/660, 669-673, 675

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,143,250 A \* 8/1964 Pengue ..... 222/182  
D221,794 S \* 9/1971 Appel et al. .... D7/597  
D281,399 S \* 11/1985 Fortuna ..... D9/500  
5,165,965 A \* 11/1992 Martin ..... 427/256  
D369,551 S \* 5/1996 MacLean et al. .... D9/500

D500,445 S \* 1/2005 DeBiasse et al. .... D9/505  
D544,352 S \* 6/2007 Dittmer et al. .... D9/504  
D545,678 S \* 7/2007 Dittmer et al. .... D9/504

(Continued)

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Dana L Meyrow

(74) *Attorney, Agent, or Firm* — Fross Zelnick Lehrman &  
Zissu, P.C.; Lawrence E. Apolzon, Esq.

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a bottle showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is an exploded top, front, right side perspective view of the bottle of FIGS. 1-7;

FIG. 9 is an exploded front elevation view thereof;

FIG. 10 is an exploded rear elevation view thereof;

FIG. 11 is an exploded left side elevation view thereof;

FIG. 12 is an exploded right side elevation view thereof;

FIG. 13 is an exploded top plan view thereof;

FIG. 14 is an exploded bottom plan view thereof;

FIG. 15 is a further exploded top, front, right side perspective view of the bottle of FIGS. 1-14;

FIG. 16 is a further exploded front elevation view thereof;

FIG. 17 is a further exploded rear elevation view thereof;

FIG. 18 is a further exploded left side elevation view thereof;


FIG. 19 is a further exploded right side elevation view thereof;

FIG. 20 is a further exploded top plan view thereof; and,

FIG. 21 is a further exploded bottom plan view thereof.

The broken line showing of the pull tab, threads, cap threads, portions of the base of the bottle, the bottle base, the bottle cap, the central portion of the bottle, in relevant drawings shows unclaimed subject matter for the design in those drawings.

**1 Claim, 12 Drawing Sheets**



# US D705,067 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D557,606 S \* 12/2007 Rashid ..... D9/500  
D608,207 S \* 1/2010 Cummings et al. .... D9/531  
D619,460 S \* 7/2010 Beckerman ..... D9/500

D646,572 S \* 10/2011 Koeleman ..... D9/500  
D671,004 S \* 11/2012 Kelly et al. .... D9/500  
D686,509 S \* 7/2013 Ashiwa et al. .... D9/723

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19






FIG. 20




FIG. 21

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D705,067 S  
APPLICATION NO. : 29/448783  
DATED : May 20, 2014  
INVENTOR(S) : Craig Dubitsky et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, (57) Description for Figures 4, 5, 11, 12, 18, and 19 is incorrect This is erroneous.

The corrected face of the patent should read -

(57) FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a left side elevation view thereof;  
FIG. 11 is an exploded right side elevation view thereof;  
FIG. 12 is an exploded left side elevation view thereof;  
FIG. 18 is a further exploded right side elevation view thereof;  
FIG. 19 is a further exploded left side elevation view thereof;

Signed and Sealed this  
Twenty-second Day of July, 2014



Michelle K. Lee  
*Deputy Director of the United States Patent and Trademark Office*