



US00D705228S

(12) **United States Design Patent**  
**Peters**

(10) **Patent No.:** **US D705,228 S**

(45) **Date of Patent:** **\*\* May 20, 2014**

(54) **ACTUATING RING**

(76) Inventor: **Marni Peters**, Gastonia, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/414,035**

(22) Filed: **Feb. 23, 2012**

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/411**; D11/26

(58) **Field of Classification Search**  
USPC ..... D11/1-6, 26-36, 79, 86, 90, 91, 92;  
63/15, 15.1, 15.2, 15.3, 15.4, 15.45,  
63/15.5, 15.6, 15.65; D14/411; D19/158,  
D19/35, 36, 41-51; 345/179  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |    |   |         |               |       |         |
|-----------|----|---|---------|---------------|-------|---------|
| D61,921   | S  | * | 2/1923  | Peters        | ..... | D11/35  |
| D252,618  | S  | * | 8/1979  | Barr          | ..... | D11/27  |
| D257,020  | S  | * | 9/1980  | Barr          | ..... | D11/35  |
| D351,117  | S  | * | 10/1994 | Pandel        | ..... | D11/35  |
| D395,255  | S  | * | 6/1998  | Kothari       | ..... | D11/34  |
| D404,332  | S  | * | 1/1999  | Perrin et al. | ..... | D11/29  |
| D440,517  | S  | * | 4/2001  | Parks         | ..... | D11/26  |
| D451,422  | S  | * | 12/2001 | Wenrich       | ..... | D11/26  |
| D463,309  | S  | * | 9/2002  | Tucker        | ..... | D11/26  |
| D464,900  | S  | * | 10/2002 | Repossi       | ..... | D11/26  |
| 6,910,821 | B1 | * | 6/2005  | Smith         | ..... | 401/8   |
| D511,309  | S  | * | 11/2005 | Hardy         | ..... | D11/35  |
| D517,796  | S  | * | 3/2006  | Storm         | ..... | D3/29   |
| 7,476,043 | B1 | * | 1/2009  | Rivas         | ..... | 401/7   |
| D618,243  | S  | * | 6/2010  | Chamblin      | ..... | D14/411 |
| D662,500  | S  | * | 6/2012  | OQuin         | ..... | D14/411 |
| 8,237,660 | B2 | * | 8/2012  | Lynn          | ..... | 345/168 |

|              |    |   |         |                   |       |           |
|--------------|----|---|---------|-------------------|-------|-----------|
| D670,334     | S  | * | 11/2012 | Hanson            | ..... | D19/55    |
| D673,953     | S  | * | 1/2013  | Li et al.         | ..... | D14/411   |
| D684,974     | S  | * | 6/2013  | Blankenbaker, Jr. | ..... | D14/411   |
| D689,862     | S  | * | 9/2013  | Liu               | ..... | D14/402   |
| 2004/0046734 | A1 | * | 3/2004  | Hart              | ..... | 345/156   |
| 2008/0060107 | A1 | * | 3/2008  | Capson            | ..... | 2/21      |
| 2009/0278818 | A1 | * | 11/2009 | DiNozzi et al.    | ..... | 345/179   |
| 2010/0243974 | A1 | * | 9/2010  | Jaeger            | ..... | 254/133 R |
| 2011/0007035 | A1 | * | 1/2011  | Shai              | ..... | 345/179   |
| 2011/0187680 | A1 | * | 8/2011  | Samol             | ..... | 345/179   |

**OTHER PUBLICATIONS**

[Online] [http://cdn1.bigcommerce.com/server4300/8fe48/products/29/images/118/txtring\\_bamboo\\_%25282%2529\\_42199.1325105733.1280.1280.jpg](http://cdn1.bigcommerce.com/server4300/8fe48/products/29/images/118/txtring_bamboo_%25282%2529_42199.1325105733.1280.1280.jpg). Accessed Mar. 3, 2014.\*

\* cited by examiner

*Primary Examiner* — Jennifer Rivard  
*Assistant Examiner* — Melanie Pellegrini


(57) **CLAIM**

The ornamental design for an actuating ring, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an actuating ring showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top and right side elevational view thereof; and,  
FIG. 6 is a front and side perspective view thereof.  
The broken lines shown in the drawings illustrate portions of the actuating ring that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






Figure 1




Figure 2







Figure 3

Figure 4






Figure 5




Figure 6