



US00D705611S

(12) **United States Design Patent**  
**Britt et al.**

(10) **Patent No.:** **US D705,611 S**

(45) **Date of Patent:** **\*\* May 27, 2014**

(54) **INSULATION DEVICE FOR A STEMMED BEVERAGE CONTAINER**

(71) Applicant: **Glass Glove LLC**, Chesapeake, VA (US)

(72) Inventors: **David M. Britt**, Norfolk, VA (US);  
**Ronald Wilson**, Chesapeake, VA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/438,286**

(22) Filed: **Nov. 28, 2012**

**Related U.S. Application Data**

(63) Continuation of application No. 12/210,780, filed on Sep. 15, 2008.

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/607**

(58) **Field of Classification Search**  
USPC ..... D7/619.1-625, 396.1-396.3;  
220/737-739, 592.16, 592.17, 592.2,  
220/758, 902, 903; 229/403, 400, 402, 800,  
229/906.1, 939; 150/156, 901, 154;  
224/677, 607; 215/11.6, 12.1, 12.2,  
215/13.1; 62/529, 530, 457.1-457.9;  
D9/444

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|           |   |   |         |          |       |           |
|-----------|---|---|---------|----------|-------|-----------|
| 2,060,781 | A | * | 11/1936 | Annen    | ..... | 229/402   |
| 4,685,583 | A | * | 8/1987  | Noon     | ..... | 220/710.5 |
| 5,857,615 | A | * | 1/1999  | Rose     | ..... | 229/403   |
| 6,116,503 | A | * | 9/2000  | Varano   | ..... | 229/403   |
| D605,900  | S | * | 12/2009 | Bodum    | ..... | D7/607    |
| D640,508  | S | * | 6/2011  | Bouillon | ..... | D7/624.2  |
| D640,900  | S | * | 7/2011  | Jesseph  | ..... | D7/607    |

\* cited by examiner

*Primary Examiner* — Terry Wallace

(74) *Attorney, Agent, or Firm* — Troutman Sanders LLP;  
James E. Schutz; Jay R. Anderson


(57) **CLAIM**

The ornamental design for an insulation device for a stemmed beverage container, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an insulation device for a stemmed beverage container;  
FIG. 2 is a front view of the insulation device for a stemmed beverage container in an open position;  
FIG. 3 is a front perspective view of the insulation device for a stemmed beverage container; and,  
FIG. 4 is a back perspective view of the insulation device for a stemmed beverage container.  
The broken, dashed lines shown in the various figures are included for the purpose of illustrating context and do not form any part of the claimed design.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4