



US00D705767S

(12) **United States Design Patent**
Yoon

(10) **Patent No.:** **US D705,767 S**

(45) **Date of Patent:** **** May 27, 2014**

(54) **MOBILE COMMUNICATION DEVICE CASE**

(71) Applicant: **Jung-Jin Yoon**, Gyeonggi-do (KR)

(72) Inventor: **Jung-Jin Yoon**, Gyeonggi-do (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/437,584**

(22) Filed: **Nov. 19, 2012**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/250**

(58) **Field of Classification Search**

USPC D14/250, 440, 238.1, 251–253,
D14/203.3–203.7, 217, 496, 248, 240, 447,
D14/341–347, 432, 434; D13/110, 118,
D13/184, 199, 103, 107, 108, 119;
220/4.02; 320/107; 224/191, 240, 241,
224/245, 682, 683; D3/201, 218, 247, 269,
D3/273, 301, 303; 361/679.56, 679.3,
361/679.25, 816; 379/426, 433.11, 455;
455/575.1, 575.8; D2/627

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D367,756 S *	3/1996	Ohba et al.	D3/218
D673,162 S *	12/2012	Young	D14/447
D673,548 S *	1/2013	Weller et al.	D14/250
D673,553 S *	1/2013	Weller et al.	D14/250
D675,197 S *	1/2013	Losiewicz	D14/250
D686,628 S *	7/2013	Hall	D14/440
D687,802 S *	8/2013	Jeong	D14/138 G
D689,479 S *	9/2013	Soffer	D14/253
D690,703 S *	10/2013	Welch et al.	D14/440
D694,741 S *	12/2013	Kim	D14/250

FOREIGN PATENT DOCUMENTS

KR 10-2012-0058873 * 6/2012

OTHER PUBLICATIONS

“Pattern Breaker” Published on Feb. 19, 2012 [online]. [retrieved on Nov. 15, 2013] Hardwaresone.com [online], Retrieved from the Internet: <<http://forums.hardwarezone.com.sg/64245844-post4245.html>>.*

“Pattern Breaker Samsung Galaxy Note Premium Belt Case” Published on Jun. 10, 2012 [online]. [retrieved on Nov. 15, 2013] Hardwaresone.com [online], Retrieved from the Internet: <<https://www.facebook.com/media/set/?set=a.353802971359187.79211.339011999504951&type=3>>.*

* cited by examiner

Primary Examiner — Adir Aronovich

Assistant Examiner — Ethiene Salgado-Rodriguez

(74) *Attorney, Agent, or Firm* — Thompson Hine LLP

(57) **CLAIM**


The ornamental design for a mobile communication device case, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a mobile communication device case showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left elevational view thereof; FIG. 5 is a right elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a front perspective view showing the belt in a first alternate position; and, FIG. 9 is a front perspective view showing the belt in a second alternate position.

The article in which the design is embodied is a case for mobile devices, such as mobile phones and possibly tablet personal computers. The belt of the case is shown in different positions indicating that the belt is movable (rotatable) in either a clockwise or counter-clockwise direction.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9