



US00D705824S

(12) **United States Design Patent**
Schaefer et al.

(10) **Patent No.:** **US D705,824 S**

(45) **Date of Patent:** **** May 27, 2014**

(54) **COOLER**

(71) Applicant: **Red Bull GmbH**, Fuschl am See (AT)

(72) Inventors: **Eike Schaefer**, Anger (DE); **Rainer Vogt**, Bad Reichenhall (DE); **Anthony Dickens**, London (GB)

(73) Assignee: **Red Bull GmbH**, Fuschl am See (AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/457,900**

(22) Filed: **Jun. 13, 2013**

Related U.S. Application Data

(62) Division of application No. 29/443,075, filed on Jan. 11, 2013, which is a division of application No. 29/398,450, filed on Jul. 29, 2011, now Pat. No. Des. 677,286.

(51) **LOC (10) Cl.** **15-07**

(52) **U.S. Cl.**
USPC **D15/81**

(58) **Field of Classification Search**
USPC D15/79-89; D6/470-472; 62/246-255,
62/331, 337, 440-449, 3.6; 312/114, 116,
312/236, 138.1, 401-405
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|--------|---------------|-------|--------|
| D299,391 S * | 1/1989 | Meehan | | D15/83 |
| D307,026 S * | 4/1990 | Barish | | D15/83 |
| D358,823 S * | 5/1995 | Grant | | D15/83 |
| D396,048 S * | 7/1998 | Meehan | | D15/83 |
| D422,286 S * | 4/2000 | Choi et al. | | D15/81 |
| D453,169 S * | 1/2002 | Ma et al. | | D15/81 |
| D470,866 S * | 2/2003 | Beauregard | | D15/83 |
| D477,000 S * | 7/2003 | Aldous et al. | | D15/81 |
| D478,601 S * | 8/2003 | Becke | | D15/81 |
| D493,181 S * | 7/2004 | Kehoe | | D15/81 |

| | | | | |
|--------------|---------|------------------|-------|--------|
| D496,054 S * | 9/2004 | Flum | | D15/83 |
| D501,488 S | 2/2005 | Sato | | |
| D506,479 S * | 6/2005 | Hansen | | D15/83 |
| D507,005 S * | 7/2005 | Mount | | D15/83 |
| D512,081 S * | 11/2005 | Chang | | D15/81 |
| D524,830 S | 7/2006 | Lei | | |
| D539,312 S * | 3/2007 | Kim | | D15/81 |
| D540,831 S * | 4/2007 | Kim et al. | | D15/81 |
| D550,256 S | 9/2007 | Lei | | |
| D556,792 S * | 12/2007 | Moran | | D15/81 |
| D562,359 S * | 2/2008 | Schreuder et al. | | D15/81 |
| D567,828 S * | 4/2008 | Moran | | D15/81 |
| D568,909 S * | 5/2008 | Santiago | | D15/81 |
| D604,340 S * | 11/2009 | Kim et al. | | D15/81 |
| D618,257 S * | 6/2010 | Hanamure et al. | | D15/79 |
| D627,374 S * | 11/2010 | Yang | | D15/81 |
| D630,231 S * | 1/2011 | Yang et al. | | D15/81 |
| D659,724 S * | 5/2012 | Wolfe | | D15/79 |
| D677,286 S * | 3/2013 | Rinderer et al. | | D15/83 |
| D687,076 S * | 7/2013 | Schaefer et al. | | D15/81 |

* cited by examiner

Primary Examiner — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC


(57) **CLAIM**

The ornamental design for a cooler, as shown and described.

DESCRIPTION

FIG. 1 is an upper front left perspective view of a cooler showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof; and,
FIG. 6 is a top plan view thereof.
Surfaces shown in FIGS. 1-6 appear as simulated ice. The "RED BULL" name and symbol shown in broken lines in FIGS. 1 and 2 illustrate environment and form no part of the claimed design. The configuration of the interior of the cooler design shown in FIGS. 1 and 2 is the same.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6