



US00D705882S

(12) **United States Design Patent**  
**Brassard**

(10) **Patent No.:** **US D705,882 S**

(45) **Date of Patent:** **\*\* May 27, 2014**

(54) **OPEN FLUME RIDE ELEMENT**

(71) Applicant: **Whitewater West Industries Ltd.**,  
Richmond (CA)

(72) Inventor: **Daniel Brassard**, Vancouver (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/450,280**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** ..... **21-03**

(52) **U.S. Cl.**  
USPC ..... **D21/821**

(58) **Field of Classification Search**  
CPC ..... A63G 21/18; A63G 21/10; A63G 21/02  
USPC ..... D21/811, 814, 818-822, 828;  
472/116-117

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|                |         |               |       |         |
|----------------|---------|---------------|-------|---------|
| D250,784 S *   | 1/1979  | Dieter et al. | ..... | D21/821 |
| D269,104 S *   | 5/1983  | Brown         | ..... | D21/819 |
| D269,105 S *   | 5/1983  | Brown         | ..... | D21/819 |
| D269,106 S *   | 5/1983  | Brown         | ..... | D21/819 |
| D269,107 S *   | 5/1983  | Brown         | ..... | D21/819 |
| D344,317 S *   | 2/1994  | Petersheim    | ..... | D21/821 |
| 6,354,955 B1 * | 3/2002  | Stuart et al. | ..... | 472/117 |
| 6,485,372 B2 * | 11/2002 | Stuart et al. | ..... | 472/117 |
| 6,857,964 B2 * | 2/2005  | Hunter        | ..... | 472/116 |
| D521,098 S *   | 5/2006  | Hunter        | ..... | D21/819 |
| 7,056,220 B2 * | 6/2006  | Hunter        | ..... | 472/117 |
| D548,810 S *   | 8/2007  | Hunter        | ..... | D21/821 |
| D567,322 S *   | 4/2008  | Hunter        | ..... | D21/821 |
| D573,222 S *   | 7/2008  | Huerta et al. | ..... | D21/821 |
| D583,895 S *   | 12/2008 | Hlynka        | ..... | D21/821 |
| 7,713,134 B2 * | 5/2010  | Hunter        | ..... | 472/117 |
| 7,775,850 B2 * | 8/2010  | Todokoro      | ..... | 446/217 |

|                |         |                 |       |         |
|----------------|---------|-----------------|-------|---------|
| 7,780,537 B2 * | 8/2010  | Hlynka          | ..... | 472/117 |
| D629,861 S *   | 12/2010 | Cuttell et al.  | ..... | D21/821 |
| 7,887,426 B2 * | 2/2011  | Hlynka          | ..... | 472/117 |
| D637,253 S *   | 5/2011  | Hunter          | ..... | D21/819 |
| D641,823 S *   | 7/2011  | Hunter          | ..... | D21/819 |
| D650,463 S *   | 12/2011 | Degirmenci      | ..... | D21/819 |
| 8,192,291 B2 * | 6/2012  | Brassard et al. | ..... | 472/117 |
| 8,197,353 B2 * | 6/2012  | Brassard        | ..... | 472/117 |
| 8,262,494 B2 * | 9/2012  | Hunter          | ..... | 472/116 |
| 8,360,894 B2 * | 1/2013  | Hlynka          | ..... | 472/117 |
| 8,430,760 B2 * | 4/2013  | Brassard        | ..... | 472/117 |
| 8,579,715 B2 * | 11/2013 | Olive et al.    | ..... | 472/117 |

\* cited by examiner

*Primary Examiner* — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Greenberg Traurig

(57) **CLAIM**

The ornamental design for a open flume ride element, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the open flume ride element in accordance with the present invention;

FIG. 2 is a left side view of the open flume ride element of FIG. 1;

FIG. 3 is a right side view of the open flume ride element of FIG. 1;

FIG. 4 is a front side view of the open flume ride element of FIG. 1;


FIG. 5 is a back side view of the open flume ride element of FIG. 1;

FIG. 6 is a top view of the open flume ride element of FIG. 1; and,

FIG. 7 is a bottom view of the open flume ride element of FIG. 1.

The broken line showing is included for the purpose of illustrating and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7